


LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS





STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

ERSITY OF CALIFORNIA LIBRARY

COPY 2

Bulletin No. 68

# RECLAMATION OF WATER FROM SEWAGE AND INDUSTRIAL WASTES

PROGRESS REPORT
JULY 1, 1953-JUNE 30, 1955



GOODWIN J. KNIGHT
Governor



HARVEY O. BANKS
Director of Water Resources

January, 1958



## STATE OF CALIFORNIA DEPARTMENT OF WATER RESOURCES DIVISION OF RESOURCES PLANNING

### Bulletin No. 68

# RECLAMATION OF WATER FROM SEWAGE AND INDUSTRIAL WASTES

PROGRESS REPORT
JULY 1, 1953-JUNE 30, 1955

GOODWIN J. KNIGHT
Governor



HARVEY O. BANKS
Director of Water Resources

January, 1958

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

TO AN ANTALONA TO AN ANTALONA TO AN ANTALONA ANTARVIO

Bulleyin No. 64

## 





2000 MIN J. KOLOHT



Typical sewage treatment plant constructed and placed in aperation during 1953-1955



#### TABLE OF CONTENTS

FRONTISPIECE	Page
LETTER OF TRANSMITTAL	iv
ORGANIZATION, STATE DEPARTMENT OF WATER RESOURCES, DIVISION OF RESOURCES PLANNING	V
ORGANIZATION, CALIFORNIA WATER COMMISSION	vi
ACKNOWLEDGMENT	vii
CHAPTER I. INTRODUCTION	
Authorization	1
Prior Investigations and Reports	1
Status of Current Investigations	2
Feasibility of Reclamation of Water from Sewage at International Outfall Sewer, Tia Juana Valley, San Diego County	3
Water Quality and Water Quality Problems, Ventura County	3
Feasibility of Reclamation of Water from Sewage, Los Angeles Metropolitan Area	3
Scope of Investigation	4
Progress of Investigation	4
Reclamation of Water from Sewage and Industrial Wastes, San Jose Area, Santa Clara County	4
Objective and Scope	5
Field Investigation	5
Laboratory Methods and Procedures	6
Water Quality Requirements	6
Definitions	7
CHAPTER II. WASTE DISCHARGE TO TIDEWATERS	
San Francisco Bay Region (No. 2)	10
Central Coastal Region (No. 3)	1.5

		Page
Los Ang	geles Region (No. 4)	16
Central	l Valley Region (No. 5)	18
Santa A	Ana Region (No. 8)	19
San Die	ego Region (No. 9)	20
	CHAPTER III. RECLAMATION OF WATER FROM SEWAGE AND INDUSTRIAL WASTES	
Existin	ng Reclamation Projects	22
Propose	ed Reclamation Projects	23
Table No.	TABLES	Page
1	Average and Total Waste Discharges to Tidewaters in San Francisco Bay Region, 1953-55	12
2	Average and Total Waste Discharges to Tidewaters in Central Coastal Region, 1953-55	16
3	Average and Total Waste Discharges to Tidewaters in Los Angeles Region, 1953-55	17
14	Average and Total Waste Discharges to Tidewaters in Central Valley Region, 1953-55	18
5	Average and Total Waste Discharges to Tidewaters in Santa Ana Region, 1953-55	20
, 6	Average and Total Waste Discharges to Tidewaters in San Diego Region, 1953-55	21
	PLATES	
Plate No.	PLAIES	
1	Locations of Waste Discharges, San Francisco Bay Region	
2	Locations of Waste Discharges, Central Coastal Region	
3	Locations of Waste Discharges, Los Angeles Region	
14	Locations of Waste Discharges, Santa Ana Region	
5	Location of Waste Discharges, San Diego Region	

#### APPENDIX

Sewerage Facilities, Waste Discharges, and Waste Analyses





P.O. BOX 388 SACRAMENTO 2 1120 N Street Hickory 5-4711

## Appartment of Water Resources

SACRAMENTO

January 27, 1958

Honorable Goodwin J. Knight, Governor, and Members of the Legislature of the State of California

Water Pollution Control Boards

Gentlemen:

I have the honor to transmit herewith the third progress report to the Governor, Legislature, and the several water pollution control boards on "Reclamation of Water from Sewage or Industrial Waste." as authorized and directed by Section 230 of the Water Code.


This report presents a statewide inventory of sewage treatment facilities discharging to tidewaters, and status of sewage reclamation projects for the two-year period July 1, 1953 through June 30, 1955.

Investigation of the feasibility and practicability of reclamation of waste waters, under Section 230 of the Water Code, is an integral part of the study and planning activities of this Department in support of the California Water Development Program.

Very truly yours,

HARVEY O. BANKS

Director



## ORGANIZATION STATE DEPARTMENT OF WATER RESOURCES DIVISION OF RESOURCES PLANNING

Harvey O. Banks Director of Water Resources M. J. Shelton Deputy Director of Water Resources William L. Berry Chief, Division of Resources Planning				
The activity under which this report was prepared is directed by				
Meyer Kramsky*				
The activities in northern California are under the supervision of				
Willard R. Slater Supervising Hydraulic Engineer				
The activities in southern California are under the direction of				
Max Bookman District Engineer				
supervision by				
David B. Willets Supervising Hydraulic Engineer				
This report was prepared by				
Claude W. Hewitt Associate Hydraulic Engineer Harry G. Behrens Assistant Hydraulic Engineer Tom Y. Fujimoto				
assisted by				
Edwin N. Seward Assistant Civil Engineer Allan Joy				

\*Prior to March 15, 1957, this activity was under the direction of Philip J. Coffey.

	Paul L. Barnes Chief, Division of Administration Isabel C. Nessler
NOTE:	Prior to establishment of the Department of Water Resources on July 5,
	1956, the following organizational positions were in effect under the
	Division of Water Resources:
	Harvey O. Banks State Engineer*
	L. C. Jopson Assistant State Engineer
	Henry Holsinger Principal Attorney
	T. R. Merryweather Administrative Assistant
	*A. D. Edmonston was State Engineer until his retirement on

November 1, 1955.

#### ORGANIZATION

DEPARTMENT OF WATER RESOURCES CALIFORNIA WATER COMMISSION

Clair A. Hill, Chairman, Redding

A. Frew, Vice Chairman, King City

John P. Bunker, Gustine

W. P. Rich, Marysville

Everett L. Grubb, Riverside

Phil D. Swing, San Diego

Kenneth Q. Volk, Los Angeles

William M. Carah
Administrative Assistant

George B. Gleason Staff Engineer

#### ACKNOWLEDGMENT

The valuable assistance and cooperation given by many individuals, public agencies and private organizations in the preparation of this report is gratefully acknowledged. Particular recognition is due the following, who provided technical assistance and important data:

Regional Water Pollution Control Board

Regional Water Pollution Control Boards

State Department of Public Health, Bureau of Sanitary Engineering and Division of Laboratories

City and County of San Francisco

City of Los Angeles

City of San Diego

Sanitation Districts of Los Angeles County

Los Angeles County Flood Control District

Orange County Sanitation Districts

East Bay Municipal Utility District

University of Southern California

The collection of a large portion of sewage effluent samples for mineral and sanitary analyses reported herein was made possible through interest and assistance from the staffs of many sewage treatment plants.

The competent help of these individuals is greatly appreciated.

Many of the analyses reported herein were performed by the United States Geological Survey, Quality of Water Branch, under cooperative agreement with the Department of Water Resources.

Many of the analyses reported for southern California were performed by the State Department of Public Health, Division of Laboratories.



#### CHAPTER I. INTRODUCTION

This is the third of a series of reports pertaining to reclamation of water from sewage or industrial wastes in California, and covers the period from July 1, 1953, to June 30, 1955. This report presents basic data on quantity and quality of waste discharges and pertinent information regarding development of sewage treatment facilities and status of reclamation projects.

#### Authorization

The State Department of Water Resources is authorized by Section 230 of the Water Code to conduct investigations pertaining to reclamation of water from sewage or industrial wastes. Chapter 1552, Statutes of 1949 added Section 230 to the Water Code, which reads:

"230. The Department, either independently or in cooperation with any person or any county, state, federal, or other agency, to the extent funds are allocated therefor, shall conduct surveys and investigations relating to the reclamation of water from sewage or industrial wastes for beneficial purposes, including but not limited to the determination of quantities of such water presently wasted, and possibilities of use of such water for recharge of underground storage or for agricultural or industrial uses; and shall report to the Legislature and to the appropriate regional water pollution control board thereon, annually."

#### Prior Investigations and Reports

In December 1952, the Division of Water Resources submitted to the Legislature and to the regional water pollution control boards the first progress report on "Reclamation of Water from Sewage or Industrial Wastes", for the period May 1951, through June 1952. This report presented fundamental considerations and preliminary data on status of waste water reclamation, utilization of reclaimed water for beneficial purposes and statistics on

quantity and quality of wastes discharged to the Pacific Ocean and tidal waters.

The second progress report, submitted in June 1954, continued the inventory for the period July 1, 1952, through June 30, 1953, and summarized changes in sewered areas and in sewage treatment facilities. It also discussed progress of studies on sewage reclamation projects by the Division of Water Resources and other public agencies.

The following publications, in addition to previously mentioned progress reports dealing with the reclamation of water from sewage and industrial wastes, were reviewed and abstracted during the preparation of the present report.

- Caldwell, D. H., Hyde, C. G., and Rawn, A. M. "Report on Collection, Treatment and Disposal of the Sewage of San Diego County, California". September 1952.
- 2. California State Department of Public Works, Division of Water Resources. "Feasibility of Reclamation of Water from Sewage in International Outfall Sewer, Tia Juana Valley, San Diego County". Unpublished Report.
- 3. California State Water Pollution Control Board. "A Survey of Direct Utilization of Waste Waters." Publication No. 12. 1955.
- 4. Rawn, A. M., Bowerman, F. R., and Stone, Ralph. "Integrating Reclamation and Disposal of Waste Water." Journal American Water Works Association. May 1953.
- 5. University of Southern California, Engineering Center.
  "Waste Water Reclamation and Utilization." Monthly
  Progress Report No. 1, No. 2, No. 3, No. 4, No. 5,
  No. 6, No. 7, No. 8, and No. 9. 1955.

#### Status of Current Investigations

As of June 30, 1955, the Division of Water Resources was conducting investigations and preparing several reports pertaining to the reclamation of water.

### Feasibility of Reclamation of Water from Sewage at International Outfall Sewer, Tia Juana Valley, San Diego County

The scope of this investigation was outlined in the second progress report. During the reporting period, field and office work on this investigation was completed, and a draft of the report was under preparation. Results of the investigation were to be reproduced as an office report.

#### Water Quality and Water Quality Problems, Ventura County

As a part of this investigation, a study was made of the feasibility of reclamation of sewage at Oxnard. The scope of that investigation was outlined in the second progress report. During the period of this study, the study of the feasibility of reclamation of water from sewage at the City of Oxnard was completed. The results of that study indicate that water reclaimed for irrigation purposes would cost about \$23 initially, and reduce to about \$15 per acre-foot in a 20-year development program. These costs include polishing treatment and distribution.

#### Feasibility of Reclamation of Water from Sewage, Los Angeles Metropolitan Area

The largest waste discharges to the ocean occur in the Los Angeles Metropolitan Area where more than 500,000 acre-feet of waste waters are discharged annually. The principal sewerage systems include the City of Los Angeles, the Sanitation Districts of Los Angeles County, and the Orange County Sanitation Districts. Rapid growth in population and industry in this large metropolitan area has greatly increased water requirements to the point that the local ground water basins have been seriously depleted, and sea-water intrusion has taken place in the coastal area. With the urbanization and industrialization of the area, the volume of waste waters being discharged to the ocean has greatly increased. It is reasonable, therefore, to examine

these waste discharges as a possible source of supply for the replenishment of overdrawn ground water basins and possible utilization for industrial purposes.

Scope of Investigation. This investigation includes study and evaluation of the following items:

- 1. The amount of water which could be reclaimed from sewage presently discharged by the three major systems in the metropolitan area.
- 2. Survey of the mineral quality of sewage at the principal treatment plants and major trunks of the three principal sewerage systems.
- 3. Survey of potential sites for plants to reclaim water from sewage.
  - 4. Preliminary surveys of potential markets for reclaimed water.
- 5. Preliminary estimates of cost of reclaiming water from sewage and cost of conveyance to place of use.

Progress of Investigation. As of June 30, 1955, the field surveys and quality surveys have been completed for the City of Los Angeles system and the Orange County Sanitation Districts. Work was initiated on the preparation of maps showing principal trunk sewers and sewered areas in the metropolitan area. Contacts were made with the city and county agencies to secure information on present sewage flows and anticipated future expansion of their sewerage system.

#### Reclamation of Water from Sewage and Industrial Wastes, San Jose Area, Santa Clara County

This investigation was outlined in the second progress report.

Shortly thereafter, the Bay Barrier Investigation was started. Both this and the fact that San Jose was planning construction of a sewage treatment plant were expected to alter the position of waste reclamation. Consequently, this investigation was postponed.

#### Objective and Scope

This report presents an inventory of reclamation projects and waste treatment facilities for the period July 1, 1953, through June 30, 1955, and evaluates the quality and quantity of water being wasted. These waste waters are viewed as potential sources of additional supply and where reclamation of these waters appears feasible, these data can serve as a basis for more detailed study.

Waste discharges reported herein are confined to facilities discharing more than one million gallons per day to tidewaters, except for the San Francisco Bay Area, where one-half million gallons per day was used as the lower limit. Cooling water returns are not included. The data are presented by water pollution control regions. Of the nine regions in the State, the Lahontan and the Colorado River Basin are inland regions without access to tidewaters, and one, the North Coastal Region, does not contain any single discharge exceeding the above limits. The data in this report, therefore, are confined to the Central Valley Region, the San Francisco Bay Region, the Central Coastal Region, the Los Angeles Region, the Santa Ana Region, and the San Diego Region.

The data include present sewerage facilities, recorded flows for these facilities, and mineral and sanitary characteristics of these waste discharges. Descriptions of waste water reclamation projects, existing and proposed, are also included.

#### Field Investigation

The field program to obtain pertinent data for the preparation of this report comprised the following:

1. Interviews with waste discharging agencies to obtain flow records, changes in facilities and reclamation practices.

- 2. Collection of hourly waste water samples over eight hour, sixteen hour, twenty-four hour or weekly periods for quality determinations, dependent upon local conditions. The samples were generally composited by flow to obtain an analysis more nearly indicative of the average quality of the discharge. When composite samples could not be obtained, single grab samples were substituted.
- 3. Field analyses were made on individual hourly samples to determine pH, temperature, and electrical conductivity.
  Hourly flows were also recorded.

#### Laboratory Methods and Procedures

Composited samples were analyzed for sanitary and mineral quality, in accordance with the current edition of "Standard Methods for the Examination of Water, Sewage, and Industrial Wastes". Sanitary analysis included determiation of five-day 20°C biochemical oxygen demand, suspended solids, most probable number of coliform organisms, and ether soluble material. Mineral analysis consisted of determination of electrical conductivity, pH, calcium, magnesium, sodium, potassium, carbonate, bicarbonate, sulfate, chloride, nitrate, fluoride, boron, silica, total dissolved solids, and hardness.

Sanitary analyses were performed by the Department's mobile laboratory in northern California and permanent laboratory facilities in southern California. Mineral analyses were performed by the United States Geological Survey in Sacramento, the Department's laboratory in southern California, and by the State Department of Public Health, Division of Laboratories.

#### Water Quality Requirements

Water quality requirements for industrial use are extremely varied. Requirements for irrigation uses fall into two classes: mineral and sanitary.

Criteria for mineral quality of irrigation water used by the Department of Water Resources are those developed at the University of California at Davis and at the Rubidoux and Regional Salinity Laboratories of the United States Department of Agriculture.\* Because of the diverse climatological conditions, and the variation in crops and soils in California, only general limits of quality for irrigation waters can be suggested. The following broad classifications of irrigation waters are used by the Department:

- Class I EXCELLENT TO GOOD: Regarded as safe and suitable for most plants under any condition of soil and climate.
- Class II GOOD TO INJURIOUS: Regarded as possibly harmful for certain crops under certain soil conditions.
- Class III INJURIOUS TO UNSATISFACTORY: Regarded as probably harmful to most crops and unsatisfactory for all but the most tolerant.

The sanitary regulations governing the use of sewage to irrigate crops are given in Bulletin No. 59 of the State Department of Public Health.

These regulations provide that: (1) untreated sewage shall not be used to irrigate growing crops, screening and grit removal not being considered as treatment; (2) settled sewage or partially disinfected effluents shall not be used to irrigate certain specified types of growing crops; and (3) no restrictions apply against the use of a well oxidized, reliably disinfected effluent where the treatment works have adequate safety factors to insure the production of an effluent always meeting certain specified bacteriological standards.

#### Definitions

The following terms are used as defined in connection with the discussion of water reclamation from waste waters in this report:

្ខំ 5

<sup>\*</sup> L. V. Wilcox and O. C. Magistad, "Interpretation of Analyses of Irrigation Waters and the Relative Tolerance of Crop Plants", U. S. Regional Salinity Laboratory, 1943.

- Sewage. "Any and all waste substance, liquid or solid, associated with human habitation, or which contains or may be contaminated with human or animal excreta or excrement, offal, or any feculent matter."\* As used in this report, sewage includes all liquid wastes carried by community sewer systems.
- Industrial waste. "Any and all liquid or solid waste substance, not sewage, from any producing, manufacturing or processing operation of whatever nature."\*
- Waste water. A term including sewage, industrial wastes, or any combination of the two.
- Reclaimed water. Water recovered from sewage and/or industrial waste that is put to beneficial use or is held available for beneficial purposes.
- Reclamation. The process of reclaiming water from sewage or industrial wastes for beneficial purposes.
- Planned Reclamation. That process of recovery of waste from sewage or industrial waste which was originally conceived and planned for the primary purpose of putting the recovered water to beneficial use.
- Incidental Reclamation. That process where the recovery of waste waters for beneficial use is secondary to sewage treatment.
- Involuntary Reclamation. The recovery of waste waters for beneficial use which have lost their identity through mixing with natural stream flow or ground water to which they were discharged in the process of final disposal.

<sup>\*</sup> From Section 13005 of the Water Code.

Primary sewage treatment. That process which removes a portion of the suspended and floating matter from sewage or industrial waste by screening, skimming, sedimentation, or other physical means.

Secondary sewage treatment. Any process of sewage or industrial waste treatment which follows primary or intermediate treatment, and which accomplishes further stabilization of organic matter by biological or chemical action.

#### CHAPTER II. WASTE DISCHARGE TO TIDEWATERS

This chapter discusses quantity and quality of waste waters discharging to tidewater for the period July 1, 1953 through June 30, 1955, and describes development of sewage treatment facilities during that period.

The quantities of waste water discharged to tidewaters were determined from records of metered flow maintained by the discharging agencies when such records were available. Where such records were not obtainable, flow data were estimated: (a) by discharging agency; (b) from intermittent measurements or partial monthly records; or (c) from calculations on basis of population, using per capita discharge estimates.

The quality data for this report were obtained by analyses of composite samples. When composite samples could not be obtained, single grab samples were collected. Also included are those analyses obtained during the course of other Departmental investigations and those supplied by the discharging agencies.

A summary of the data is presented by water pollution control regions.

#### San Francisco Bay Region (No. 2)

Data are presented for agencies discharging waste to tidal waters in the amount of one-half million gallons per day or more. There were 39 such agencies on June 30, 1955. These are listed in Table 1; the locations are shown on Plate 1. Data on treatment facilities are presented in Table 2 of the appendix. During the 1953-55 period, new treatment plants were constructed by the City of Millbrae, and by the Hayward, San Pablo, Sausalito-Marin City, and Stege Sanitary Districts. These new facilities treat an estimated 9.8 mgd or 11,000 acre-feet per year of waste water formerly discharged without treatment. These and other developments are summarized in Appendix Table 1.

Appendix Table 3 shows monthly discharges. The total volume of waste discharged in this region is estimated to have been 256,420 acre-feet in 1953-54 and 268,945 acre-feet in 1954-55. These same discharges totaled an estimated 250,260 acre-feet in 1952-53.

About ten per cent of the waste water discharged receives secondary treatment, 68 per cent primary treatment, and 22 per cent no treatment. Mineral and sanitary analyses are presented in Appendix Tables 4 and 5. In accordance with the adopted standards for classification of water, approximately ten per cent of the above waste water would be Class I irrigation water, and thirty-five per cent Class II. The remaining 55 per cent would be Class III; however, much of this approaches the limits of Class II, with excessive chloride and total dissolved solids content being the limiting factors in most cases. A review of previous data for 15 discharges showed that electrical conductivity increased in eight discharges and decreased in seven during the period 1952-53 to 1953-55.

One of the requirements of any reclamation project is that there be a need for supplemental water. Recent studies by the Department have shown that a present an overdraft exists in the Santa Clara Valley at the south end of San Francisco Bay, and that this overdraft is expected to increase under conditions of ultimate development. The quality of ground water in this area is generally excellent. Therefore, reclaimed water having excessive mineral content could be diluted with ground water, providing a mixture of usable quality.

TABLE 1 AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN SAN FRANCISCO BAY REGION 1953-55

	: 1953-54		: 19	54-55	
Agencies	:Average:		: Average : rate of		
ydeucrea	: flow :	in	: flow	in	
		acre-feet		:acre-feet	
Marin County Sanitary					
District No. 1 and No. 2	2,2	2,460	2.8	3,110	
City of Mill Valley	0.8	875	0.9	1,020	
San Rafael Sanitation District	1.9	2,130	1.9	2,140	
Sausalito Marin City Sanitary District	0.6	630	0.9	975	
DISCRICC		030	0.9	915	
City of Vallejo	6.8 <sup>b</sup>	7,620	6.8b	7,620	
City of Benecia	0.6b	720	0.6b	720	
Central Contra Costa Sanitary					
District	3.4	3,770	3.8	4,240	
Cities of Fairfield and Suisun	0.6b	720	0.6b	720	
City of Richmond	8.2 <sup>b</sup>	9,200	8.2b	9,200	
City of Martinez	0.7 <sup>b</sup>	840	0.7 <sup>b</sup>	840	
City of Concord	1.3	1,480	1.6	1,850	
San Pablo Sanitary District	2.9b	3,230	2.9b	3,230	
City of Pittsburg	0.9	1,020	0.9	1,020	
Stege Sanitary District	2.7 <sup>b</sup>	3,040	2.7 <sup>b</sup>	3,040	
City of San Leandro	3.2	3,620	3.2	3,550	
East Bay Municipal Utility District	54.8	61,400	53.9	60,400	
22301200				00,400	
Hayward Sanitary District	1.9ª	2,090	2.8	3,090	
Oro Loma Sanitary District	5.7	6,340	6.5	7,260	

a.

Discharge estimated from partial records.

Discharge estimated on basis of 80 gallons per capita per day. b.

TABLE 1 (Continued)

#### AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN SAN FRANCISCO BAY REGION 1953-55

	: 195	3-54	: 19	754-55	
Agencies	:Average:		: Average : rate of		
	flow in mgd i		flow in mgd	in acre-feet	
Union Sanitary District	0.6	710	0.6	710 <sup>a</sup>	
City of Mountain View	0.8	885	1.0	1, 160	
City of Palo Alto	4.2	4,740	4.4	4,920	
City of San Jose	16.0ª	17,900	18.0ª	20,100	
City of Sunnyvale	2.9ª	3,250	3.3ª	3,700	
City of Burlingame	1.4	1,560	1.4	1,580	
City of Millbrae	0.6ª	620 <sup>°</sup>	0.5	580	
City of Redwood City	3.0	3,400	3.1	3,470	
City of San Mateo	4.5	5,000	4.6	5,140	
Cities of South San Francsico and San Bruno	3.3	3,670	3.5	3,960	
Menlo Park Sanitary District	2.4	2,690	2.6	2,970	
San Carlos-Belmont Sanitary District	1.7	1,950	2.0	2,300	
City and County of San Francsico:					
North Point	33.2	37,200	35.8	40,000	
Richmond-Sunset Plant	12.2	13,600	12.9	14,400	
Southeast Plant	14.0	15,700	15.6ª	17,500 <sup>a</sup>	
United States Steel, Columbia-Gene	ev <b>a Divisi</b>	on:			
Cooling water	10.5 <sup>b</sup>	11,750	10.5 <sup>b</sup>	11,750	
Oil Waste	5.5 <sup>b</sup>	6,160	5.5 <sup>b</sup>	6,160	

a. Discharge estimated from partial records

b. Discharge estimated by agency

#### TABLE 1 (Continued)

#### AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN SAN FRANCISCO BAY REGION 1953-55

Agencies	:Average: :rate of: : flow :	Annual total in acre-feet	: Average: : rate of: : flow :	
Mill scale waste	2.0 <sup>b</sup>	2,240	2.0 <sup>b</sup>	2,240
Johns-Manville Corporation	1.8b	2,020	1.8 <sup>b</sup>	2,020
Pioneer Rubber Mills	1.7b	1,900	1.7 <sup>b</sup>	1,900
General Chemical Corporation	4.3b	4,820	4.3 <sup>b</sup>	4,820
Shell Chemical Company	1.6	1,790	1.6	1,790
C & H Sugar Refinery char waste	1.5b	1,680	1.5 <sup>b</sup>	1,680
	228.9	256,420	239.9	268,945

a. Discharge estimated from partial records.

b. Discharge estimated by agency.

#### Central Coastal Region (No. 3)

On June 30, 1955, there were six agencies in this region discharging one million gallons or more per day of waste, as shown on Plate 2. Data on their treatment facilities are presented in Table 2 of the appendix.

During the reporting period, no major developments in treatment facilities occurred.

An estimated 14,735 acre-feet of waste water were discharged in 1954-55. In 1953-54, 13,675 acre-feet were discharged, and 13,570 in 1952-53. Monthly discharges, where recorded, are shown in Appendix Table 3.

About 50 per cent of the waste water in this region receives primary treatment, 33 per cent secondary treatment, and 17 per cent no treatment other than screening.

Mineral and sanitary analyses are presented in Appendix Tables 4 and 5. About 40 per cent, or 5,700 acre-feet, of this water is of Class I mineral quality for irrigation, ten per cent in Class II, and 50 per cent Class III. The largest single discharge, 4,840 acre-feet per year at Santa Barbara, is Class III due to its high chloride content. As the present chloride content of ground water in this area is generally high, considerable dilution would be necessary to improve appreciably the quality of this waste discharge.

TABLE 2

AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN CENTRAL COASTAL REGION 1953-55

	: 19	53-54	: 1954-55		
	: Average		: Average		
Agency	rate of		: rate of		
	flow	in		in	
	sin mgd	: acre-feet	: in mgd	: acre-feet	
City of Santa Barbara	4.1	4,620	4.3	4,840	
Carmel Sanitary District	0.8ª	975	0.8ª	975	
City of Monterey	1.3	1,510	1.4	1,570	
City of Pacific Grove	0.7	785	1.0	1,190	
City of Santa Cruz	2.9	3,260	3.2	3,550	
City of Watsonville	2.2a	2,525a	2.3	2,610	
TOTALS	12.0	13,675	13.1	14,735	

a. Estimated by agency from partial records.

#### Los Angeles Region (No. 4)

There were six waste discharges in this region greater than one million gallons per day on June 30, 1955, as shown on Plate 3. Although no new facilities were constructed during the reporting period, the City of Oxnard is planning an additional treatment plant of six million gallons per day capicity. The City of Ventura is planning additional facilities to increase the capacity of its present treatment plant by 50 per cent. The City of Los Angeles is planning to convert from secondary to primary treatment at its Hyperion Plant.

These six agencies discharged an estimated 488,640 acre-feet in 1954-55, and 465,350 acre-feet in 1953-54. In 1952-53, the same discharges totaled 436,440 acre-feet.

Mineral analyses, presented in Appendix Table 4, show that 279,010 acre-feet of the waste water discharged to tidewater in 1954-55 fell within the limits of Class II waters. The remaining 209,630 acre-feet was equivalent to Class III, generally because of high total dissolved solids content. Most of this Class III water was discharged by the Los Angeles County Sanitation District.

Sanitary analyses are shown in Appendix Table 5. Of the six discharging agencies, three provided secondary treatment to 210,570 acre-feet of waste. The remaining three, discharging 278,000 acre-feet provided only primary treatment.

TABLE 3

AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN LOS ANGELES REGION 1953-55

	54-55
: Average	
	: in
: in mgd	: acre-feet
٠	
21,3.9	273,200
	6,840
002	0,040
3.3	3,680
J. J.	2,9
1.9	2,130
180.0	201,600
1.1	1,190
1.26.2	100 410
430.3	488,640
	: flow : in mgd 243.9 6.1 3.3 1.9

a. Meter registered high from July 1953 - April 1954. Actual discharge in 1954-55 was greater than discharge for 1953-54.

b. Discharge in 1954-55 estimated by agency.

c. Estimated from partial records.

### Central Valley Region (No. 5)

Many small communities discharge waste water to tidal waters in the Sacramento-San Joaquin Delta area; however, the only discharges greater than one-half million gallons per day during the reporting period were the City of Antioch and the Fibreboard Products Corporation, Antioch and San Joaquin Divisions. Data for these facilities are included in Table 2 of the appendix. It is estimated that these discharges totaled 23,300 acre-feet per year.

The City of Antioch provides primary treatment. No treatment, however, is given to the two industrial discharges. Mineral and sanitary analyses presented in Appendix Tables 4 and 5 show that all three discharges lie within the limits of Class II irrigation water, the principal detriments being total dissolved solids and boron content. The locations of the discharges are shown on Plate 1.

TABLE 4

AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN CENTRAL VALLEY REGION 1953-55

Agency	Average rate of flow	000000000000000000000000000000000000000	Annual total in acre-feet	• • • • • • • • • • • • • • • • • • • •	Average rate of flow in mgd	: Annual
City of Antioch	0.8		900		0.8	900
Fibreboard Products						
Antioch Division	5.0		5,600		5.0	5,600
San Joaquin Division	15.0		16,800		15.0	16,800
TOTALS	20.8		23,300		20.8	23,300

### Santa Ana Region (No. 8)

The City of Newport Beach and the Orange County Joint Outfall Sewer were the only two agencies discharging more than one million gallons per day in this region in 1953-54. In 1954-55, they were absorbed by the County Sanitation District of Orange County. The District commenced operation on July 1, 1954, and presently operates two treatment plants, one of which was formerly operated by the Orange County Joint Outfall Sewer. The treatment plants of the Cities of Newport Beach and Huntington Beach were deactivated when these two agencies joined the district. Sewage from these latter cities is now treated at the District Plant No. 2. The locations of these facilities are shown on Plate 4, and brief descriptions of the facilities are presented in Appendix Table 2. The District's Plant No. 1, discharged 13,260 acre-feet in 1954-55, while Plant No. 2 discharged 10,100 acre-feet.

The mineral quality of Plant No. 2 discharge, as given in Appendix Table 4, is extremely poor. The discharge from Plant No. 1, however, is equivalent to Class II waters. Both plants provide primary treatment, and sanitary analyses of their discharges are presented in Appendix Table 5.

At present, serious water shortages exist in the Los Angeles-Santa Ana area. Large quantities of water are being imported at present, and future increases are anticipated. Therefore, the potentialities of waste reclamation are of considerable interest in this area.

TABLE 5

### AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN SANTA ANA REGION 1953-55

	: 19	53-54 :	19	54-55
Agency	-		Average rate of flow	: total
	in mgd	: acre-feet:	in mgd	:acre-feet
City of Newport Beacha	2.6	2,910 <sup>b</sup>		
Orange County Joint Outfall sewer <sup>a</sup>	13.7	15,300		
Orange County Sanitation District				
Plant No. 1			11.8	13,260
Plant No. 2			9.0	10,100
TOTALS	16.3	18,210	20.8	23,360

a. Annexed to Orange County Sanitation District on July 1, 1954.

### San Diego Region (No. 9)

The locations of the six agencies which discharge to tidewaters within this region are shown on Plate 5. Data concerning the facilities are listed in Appendix Table 2.

The total discharge was 53,180 acre-feet in 1954-55, and 53,630 in 1953-54. The discharge in 1952-53 was 51,050. The City of San Diego discharges the largest quantity, amounting to about 43,000 acre-feet per year. Monthly discharges are shown in Appendix Table 3.

Appendix Table 4 shows mineral analyses of discharges for this region. Only about 13 per cent, or 6,700 acre-feet of the waste water, is equivalent to Class II waters. The remaining 46,480 acre-feet are in Class III, principally

b. Estimated from partial records.

due to excessive chloride content. Primary treatment is provided for 46,050 acre-feet, and secondary for 960 acre-feet. No treatment is provided for the remaining 6,170 acre-feet. Sanitary analyses are presented in Appendix Table 5.

This area, like the Los Angeles-Santa Ana area, is one of increasing water importation. The possibility, therefore, of providing a portion of the area's ultimate water requirements through reclamation of waste is of considerable economic importance.

TABLE 6

AVERAGE AND TOTAL WASTE DISCHARGES TO TIDEWATERS IN SAN DIEGO REGION 1953-55

	: 195	53-54	: 19	54-55
	: Average :	Annual	: Average	: Annual
Agency	: rate of :	total	: rate of	: total
	: flow :	in	: flow	: in
	: in mgd :	acre-feet		
City of Chula Vista				
J Street Plant	1.2	1,370	1.4	1.570
0 Doi ee0 1 Lano	705	19510	7011	10010
City of Coronado*	1.8	2,000	1.8	2,000
		,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
City of Laguna Beach	0.9	1.010	0.9	960
		- 11-	- 1	n
City of Oceanside	1.3	1,440	1.4	1,530
City of San Diego	39.0	43,660	38.3	42,950
or or par progo	J/ 80	47,000	رەنىر	4-9/00
International Outfall Sewer	3.7	4,150	3.7	4,170
				.,,
	-			
TOTALS	47.9	53,630	47.5	53,180

<sup>\*</sup> Discharge estimated by agency.

## CHAPTER III. RECLAMATION OF WATER FROM SEWAGE AND INDUSTRIAL WASTES

The use of waste water for agriculture and industry is not a new concept. Irrigation with sewage and industrial waste effluents has been practiced for many years. Industry has put reclaimed waste water to use for cooling and boiler feed purposes and for various other plant processes. Recreational use has included irrigation of parks and golf courses, and the formation of artificial lakes, streams, and wildlife refuges. Projects for reclamation of sewage and industrial wastes can be considered either as "planned" or "incidental", depending upon the intent and concept under which the project was developed.

Involuntary reclamation commonly occurs where waste water is discharged to a stream or ground water basin from which water is subsequently withdrawn and put to beneficial use. Since this report pertains only to the discharge of waste waters to tidewater, involuntary reclamation has not been considered. It is planned to include an inventory of discharges where involuntary reclamation occurs in succeeding progress reports.

### Existing Reclamation Projects

In Golden Gate Park, San Francisco, planned reclamation of water from sewage has been practiced since 1931. An activated sludge plant in the park intercepts a main trunk sewer to the Richmond-Sunset sewage treatment plant and draws off influent as needed at the rate of about one million gallons per day or 1,100 acre-feet per year. The reclaimed water is used for the maintenance of decorative lakes and for irrigation in the park.

Camp Pendleton Marine Base near Oceanside also has practiced reclamation for some time, using the secondary effluent from the camp's

sewage treatment plant to maintain lakes for conservation and recreational purposes and to irrigate a golf course.

In addition to these larger projects, several discharging agencies utilize small portions of their effluents for irrigation of plant grounds and operation of plant equipment such as chlorinators and scum removal sprays.

### Proposed Reclamation Projects

Recognition of reclamation as a beneficial and economical means for final disposal of waste water as well as a means of augmenting or replacing other water supplies has led to new interest in and consequent study on the feasibility of reclamation projects by the State, municipal, and other public and private agencies.

The City of Los Angeles is planning to convert the Hyperion activated sludge plant to a primary treatment plant. Tentative proposals contemplate the utilization of the secondary treatment facilities as a water reclamation plant. The Los Angeles County Flood Control District is currently conducting exhaustive pilot studies to determine the feasibility of using water reclaimed from the Hyperion discharge to supply injection wells in the West Coast Basin for the purpose of preventing sea-water intrusion.

The Talbert Water District is proposing to use effluent from the Orange County Sanitation District for pre-irrigation of beans. It is proposed to divert a portion of the discharge to a regulating reservoir, thence to a distribution system to serve individual farmers. Because of the relatively poor mineral quality of the reclaimed water, it is proposed to use one and one-half acre-feet per acre for pre-irrigation of beans, or about 3,600 acre-feet per year for the entire district, in lieu of the generally used one acre-foot per acre.

The City of Oceanside is considering the reclamation of water from sewage. It is proposed that all the effluent from its sewage reclamation plant be pumped to percolation ponds which would be used to recharge the San Luis Rey ground water basin.

Utilization of the effluent from a planned six mgd secondary plant of the City of Oxnard has been considered by local interests.

### APPENDIX

SEWERAGE FACILITIES, WASTE DISCHARGES

AND

WASTE ANALYSES



### TABLES

### Number

- 1 Development of Sewerage Facilities in California
- 2 Sewerage Facilities in California
- 3 Waste Discharges to Tidewaters
- 4 Mineral Analyses of Sewage and Industrial Wastes
- 5 Sanitary Analyses of Sewage and Industrial Wastes



TABLE 1

DEVELOPMENT OF SEWERAGE FACILITIES IN CALIFORNIA July 1, 1953 to June 30, 1955

•••	Region : Agency	2 Cities of Fairfield and Suisun	City of Hayward	City of Martinez	City of Millbrae	North San Mateo County Sanitation District	San Francsico International Airport	City of San Jose	City of San Mateo	San Pablo Sanitary	Sausalito-Marin City Sanitary District	Stege Sanitary District	City of Sunnyvale	
: Estimated	: population :	and 8,000	30,000	16,000	12,000	aty st 30,000	national 2,000	150,000	000°09	36,000	y 20°,500	met 33,950	23,000	7
: Facilities : Facil	completed : New : Addition :		×		×	×				×	. ×	×		
Facilities under :									×					•
Facilities in	planning stage New : Addition	×		×			×	×					×	

TABLE 1 (Continued)

DEVELOPMENT OF SEWERAGE FACILITIES IN CALIFORNIA July 1, 1953 to June 30, 1955

Region:	: n: Agency	: Estimated : population : June 30, 1955	: Facilities : completed : New : Addition	: Facilities : Facilities under Facilities in completed : construction : planning stage : New : Addition: New : Addition	es in stage dition
9	Pacific Grove	10,000	×		·
	Santa Cruz	22,000		X	
	City of Watsonville	15,750		×	
4	City of Los Angeles (Hyperion)	2,750,000			×
	City of Oxnard	30,000		×	
	City of Ventura	22,000			×
₩	Orange County Sanitation District	2 0 0	×		
6	City of Laguna Beach	7,500			×
,	City of Oceanside	20,000			×
,,	City of San Diego	520,000			2
	TOTALS		0 4	1 3 7	4

SEWERAGE FACILITIES IN CALIFORNIA
(As of June 30, 1955)

	REMARKS				~												Onall encunte reclaimed for plant use.				
	EFFLUENT		Richardson Bay	Corts Madera Creek	San Francisco Ray	San Francisco Eay	Mare Ieland Straits	Carquines Straits	Sutsun Sloogh	Walrut Crask	Carquines Straits	San Francisco Ray	New York Slough	Gray son Cresk	San Pablo Bay	San Francisco Pay	San Francisco Euy Ou	San Francisco Bay	San Francisco Bay	Newark Slough	San Prancisco Bay
	DESCRIPTION OF TREATMENT AND FUTURE PLANS		Commitmation, primary clarification and chlorination.	Occaniution, clarification biofiltration, secondary clarification and chlorination.	Pre-chlorination and primary clarification	Prizery clarification with pre and post chlorination	Collection eystem only. Primary treatment plant is planned.	Collection system only.	Collection system only. Primary treatment plant is planmed.	Primary clarification and oxidation ponde.	Collection system only. Pricary treatment plant is proposed.	Collection aystem only. Prizzry treatment plant is proposed.	Grit removal, preseration, primary clarification and chlorination.	Primary charification and oxidation ponds.	Committee and primary clarification.	Grit removal and primary charification.	Grit record, clarification, biofillration, and escendary clarification.	Committed on and chloringtion, biofiltration, aeration, ascondary clarification and chloringtion.	Aeration and primary clarification.	Primary clarification.	Primary clarification and chlerination.
	TYPE OF WASTE		Docestic	Domestic	Donesti c	Descrit e	Domestic and incustrial	Domestic	Domestic	Donestic	Docestic and seasonal cannery wastes.	Domestic and industrial	Domestic	Domestic and assenal cannery wastes	Domestic and industrial	Domestic	Demostic and industrial	Domestic and seasonal cannery wastes	Domesti c	Domestic	Domestic and industrial
	DESIBE CAPICITY (mgd)	-	0*9	2.3	1.6	3.0	1	I	1	1	1	1	1	1	7.0	1	7.0	15.0	0.21	3.5	197.c
DISCHARGE	scasonal acre feet		1,010	3,100	375	2,130	7,620	720	720	1,840	870	9,140	1,020	7,240	3,230	3,040	5,040	3,090	9,450	730	60,200
J.	(mgd)		6.9	2.8	13.0	1.9	¶a. 0	0.6*	*9*0	1.65	C.7a	8.2	C.91	3.8	2.9b	2.7b	4.5	2 .8	5.7	69.0	53.9
			10,000	30,000	20,500	16,000	65,000	e,000	6,000	12,500	9,00	P5,000	7,000	75,000	36,000	34,000	32,000	30,000	120,000	000'9	625,000
	DISCHERGING AGENCY	SAN FRANCISCO BAY RECTON	City of Mill Valley	Marin County Sanitary District Nos. 1 and 2	Sausalito-Marin, City Sanitary District	San Rafael Spnitation District	Valle jo Samitation and Flood Control District	City of Benicia	Cittes of Fairfield-Suisun	City of Concord	City of Martines	City of Richmond	City of Pittsburg	Central Contra Costa Sanitary Dietrict	San Pablo Sanitary District	Stege Senttary District	City of San Leandro	Hayward Sanitary District	Orolona Sanitary Dietri et	Union Sanitary Diatrict	East Bay Municipal Utility District, Special District No. 1

. Estimated on basis of SU gallons pur, capita per day. b. Estimated from periodic secentia, e. 60 instend by m

SEWERAGE FACILITIES IN CALIFORNIA
(4s of June 30, 1955)

				DISCHARGE				MOLTISPOSIU	
1,000   6.92   1,00   6.0   Decentic and food investing, Frinary clarifier and children, weaking and food investing and infantials.   2,000   1,100   2,100   2,0	DISCHERGING AGENCY		(mgd)		Desiee Carretty (mgd)	TYPE OF WASTE	DESCRIPTION OF TREATMENT AND FUTURE PLANS	EFFLUENT	REMARKS
1,00	City of Mountain Wiew	13,000	C.92	1,030	2.0	Domestic and food processing.	many clarification, woration and chlorination.	San Francisco Eay	
23,000         12,00         — Desertic and industrial.         Collection option only. Prinary treatment plant is planned.         San Francisco Bay 23,00           23,000         3,30         3,70         — Desertic and industrial.         Collection option only. Prinary treatment plant is planned.         San Francisco Bay 23,00           23,000         1,40         3,70         1,00         Desertic and seas.231         Friency chiffication and chlorination.         San Francisco Bay 23,00           5,000         1,40         3,70         2,00         Desertic and seas.231         Friency chiffication and chlorination.         San Francisco Bay 24,00           5,000         1,40         3,10         Desertic and seas.231         Friency chiffication and chlorination.         San Francisco Bay 24,00           5,000         1,60         2,50         4,0         Desertic and industrial.         Friency chiffication and chlorination.         San Francisco Bay 24,00           5,000         2,00         3,00         5,00         5,00         Desertic and industrial.         Friency chiffication and chlorination.         San Francisco Bay 34,00           5,000         1,00         5,00         5,00         5,00         5,00         Desertic and industrial.         Friency chiffication and chlorination.         San Francisco Bay 34,00           10,00         5,00 </td <td>City of Palo Alto</td> <td>55,000</td> <td>07-7</td> <td>7,900</td> <td>0.9</td> <td></td> <td>but removal, aeration, vacuator, biofilter, primary clarifier.</td> <td></td> <td></td>	City of Palo Alto	55,000	07-7	7,900	0.9		but removal, aeration, vacuator, biofilter, primary clarifier.		
23,000         3.39         3.70         —         Deserte         Chicketion guite only, Priesty irrateon plant is planted. But Francisco Bay 23,600         Triang clarification and chlorimation.         Sun Francisco Bay 23,600         Sun Francisco Bay 24,000         Sun Francisco Bay 25,000	City of Sun Jose	150,000	18.cb	20,100	1		collection system only. Primary treatment plant is planned.	San Francisco Bay	
23,600         1.40         4.50         December         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 1         Prinary clarification.         Prinary clarification.         Sun Francisco Bay cannel 7         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 7         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 7         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 7         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 8         Prinary clarification and chlorimation.         Sun Francisco Bay cannel 8           50,000         2.00         2,506         4.00         December and industrial.         Crit recoval, prinary clarification and chlorimation.         Sun Francisco Bay can Francisco Bay can Francisco Bay cannel 8           50,000         2.00         2,506         4.00         December and industrial.         Crit recoval, prinary clarification and chlorimation.         Sun Francisco Bay can Francisco Bay cannel 8           50,000         1.50         December and industrial.         Crit recoval, prinary clarification and chlorimation.         Sun Francisco Bay cannel 8           50,000         1.50         December and industrial.         Crit recoval, prinary clarification and chlorimation.         Crit recoval, prinary clarification and chlorimation.         Sun Fran	City of Sungvale	23,000	3.36	3,700	1		ballection system only. Friency treatment plant is planned.	San Francisco Bay	
12,000         C.52         56         1.0         Descrite and seasonal interpretation and chloritation.         San Francisco Ray Science         Prinary clarification and chloritation.         San Francisco Ray Science         Prinary clarification and chloritation.         San Francisco Ray Science         Prinary clarification.         San Francisco Ray Science         San Francisco Ray Science         Prinary clarification.         San Francisco Ray Science         San Francisco Ray San Francisco Ray Science         San Francisco Ray San Francisco Ray San Francisco Ray Science         San Francisco Ray San Francisco Ray San Francisco Ray San Francisco Ray Science         San Francisco Ray San San Francisco Ray San Francisco Ray San	City of Burlingure	23,600	1.40	3,570	0.4		Parmary clarification and chlorination.	San Francisco bay	
\$6,000         1,10         3,170         5.0         Descrite and search         Theary clarification and chlorination.         San Francisco Bay           \$6,000         1,26         3,95         e.0         Descrite         Privaty clarification.         An Francisco Bay           \$6,000         2,60         2,96         4.0         Descrite         Privaty clarification.         San Francisco Bay           \$9,000         2,00         2,29         3.0         Descrite         Privaty clarification.         San Francisco Bay           \$9,000         2,00         2,29         3.0         Descrite and industrial.         Orit recoval, privaty clarification and chlorination.         San Francisco Bay           \$9,000         12.9         14,40         15.0         Descrite and industrial.         Orit recoval, privary clarification and chlorination.         San Francisco Bay           \$9,000         15.2         14,40         15.0         Descrite and industrial.         Orit recoval, privary clarification and chlorination.         San Francisco Bay           \$15.0         10.0         Descrite and industrial.         Activated sludge.         Activated sludge.         New York Slough           \$15.0         10.0         Descrite and industrial.         Activated sludge.         Activated sludge.         New York Slough	City of Millbras	12,000	C.52	560	1.0		Presy elatification.	San Francisco Bay	
66,000         1,66         5,100         10.0         Doceanic         Prinary clarification and chlorination.         Sun Francisco Bay           50,000         2,60         4,0         Doceanic         Prinary clarification.         San Francisco Bay           50,000         2,00         2,790         3,0         Doceanic         Prinary clarification.         San Francisco Bay           50,000         2,00         2,790         3,0         Doceanic and industrial.         Orit recoval, prinary clarification and chlorination.         San Francisco Bay           35,000         11,00         5,0         Doceanic and industrial.         Orit recoval, prinary clarification and chlorination.         San Francisco Bay           35,000         11,400         3,0         Doceanic and industrial.         Orit recoval, prinary clarification and chlorination.         San Francisco Bay           35,000         11,400         3,0         Doceanic and industrial.         Orit recoval, prinary clarification and chlorination.         San Francisco Bay           35,000         11,700	City of Redwood City	56,000	3.10	3,470	2.0		Gactetor, primary clariffication and chlorination.	San Francisco Eay	
5C,000         3.5C         2.9C         2.0         Decemble         Prinary clarification.         San Francisco Bay           30,000         2.0C         2,5GC         4.0         Decemble         Prinary clarification.         San Francisco Bay           30,000         2.0C         2,29C         3.0         Decemble and industrial:         Crit recoval, prinary clarification and chlorination.         San Francisco Bay           25,000         12.9         14,4C         15.0         Decemble and industrial:         Crit recoval, prinary clarification and chlorination.         San Francisco Bay           25,000         13.5         14,4C         3.0         Decemble and inharitial.         Crit recoval, prinary clarification and chlorination.         San Francisco Bay           10.0         15.0         Decemble and inharitial.         Artivated sludge.         Artivated sludge.         San Francisco Bay	City of San Mateo	000,00	09.7	5,100	10.0		Primary clarification and chlorination.	San Francisco Bay	Small amount reclaimed for plant use.
33,000         2.66         4.90         Decentic         Primary clarification.         Sun Francisco Bay           30,000         2.00         2,790         3.0         Decentic         Primary clarification and chlorination.         San Francisco Bay           456,000         12.9         44,400         15.0         Decentic and industrial.         Orit recoval, primary clarification and chlorination.         San Francisco Bay           100,000         15.5         17,400         30.0         Decentic and industrial.         Orit recoval, primary clarification and chlorination.         San Francisco Bay           100,000         15.5         11,700         30.0         Decentic and industrial.         Artivated sludge.         San Francisco Bay	Cities of South San Francisco Sun Bruno	\$5,000	3.50	3,950	0.9		The ary clarification.	San Francisco Bay	
San         30,000         2,290         3.0         Descrite         Private clarification.         Private clarification and chlorination.         San Francisco Bay           Flant         4,50,000         35.6         Descrite and infusitial.         Orit recoval, privaty clarification and chlorination.         San Francisco Bay           Plant         100,000         15.5         Descrite and infusitial.         Orit recoval, privaty clarification and chlorination.         San Francisco Bay           Plant         0.7         1.0         Descrite and infusitial.         Orit recoval, privaty clarification and chlorination.         San Francisco Bay           Plant         0.7         1.0         Descrite and infusitial.         Activated sludge.         San Francisco Bay           Laster         0.7         1.0         Descrite         Activated sludge.         San Francisco Bay           Lo.5         6,126         -         Industrial         Some         San Francisco Bay           Lo.5         6,126         -         Industrial         San Francisco Bay           Lo.5         2,220         -         Industrial         None           Lo.5         2,220         -         Industrial         None           Lo.7         2,220         -         Industrial	Menlo Park Santtary District		2.60	2,566	0.4		Prizery clarification.	San Francisco Bay	
455,000         35.8         4.5,000         65.0         Decentic and industrial;         Grit recoval, primary clarification and chlorination.         San Francisco Bay Pacification and chlorination.           100,000         15.5         Decentic and inhabitial.         Orit recoval, primary clarification and chlorination.         San Francisco Bay Pacific Sough           nt         0.7         1.0         Decentic and inhabitial.         Activated sludge.         San Francisco Bay Pacific Sough           nt         0.7         1.0         Decention         Activated sludge.         Activated sludge.           nt         0.7         1.0         Decention         Activated sludge.         Activated sludge.           nt         2.0         2.0         1.7         Industrial         Activated sludge.           nt         2.0         2.0         1.0         Activated sludge.         Activated sludge.           nt         1.7         1.9         1.9         Acti	. San Carlos-Belmont Sandtary District	30,000	8.2	2,290	3.0		Prisary clarification.	San Francisco Bay	
435,000         35.8         40,000         15.0         Decentic and industrial:         Orit removal, primary clarification and chlorination.         San Franciso Bay           235,000         15.5         17,400         30.0         Decentic and industrial.         Orit removal, primary clarification and chlorination.         San Francisco Bay           100,000         15.5         17,400         Decentic and industrial.         Activated sludge.         Activated sludge.         San Francisco Bay           5         6,160         —         Industrial         None         None         New York Slough           —         2,000         —         Industrial         None         None         None           —         1,76         1,900         —         Industrial         None         None	City and County of San Francisco								
235,000         12.9         11,400         15.0         Descrite and inhalted.         Orit removal, prinary clarification and chlorination.         Pacific Ocean           100,000         15.5         17,400         30.0         Descrite and inhalted.         Orit removal, prinary clarification and chlorination.         San Francisco Bay           0.7          1.0         Descrite and inhalted.         Activated sludge.         Activated sludge.           0.7          1.0         Descrite and inhalted.         Activated sludge.         Activated sludge.           0.7          1.0         Inhalted.         Activated sludge.         Activated sludge.           0.7          1.7         Activated sludge.         Activated sludge.           0.7          1.7 <td>North Point Plant</td> <td>450,000</td> <td>35.8</td> <td>000,27</td> <td>0.53</td> <td></td> <td>but removal, primary clarification and chlorination.</td> <td>San Francisco Bay</td> <td></td>	North Point Plant	450,000	35.8	000,27	0.53		but removal, primary clarification and chlorination.	San Francisco Bay	
100,000   15.5   17,400   30.0   Decetto   Artivated sludge.   Artivated sludge.   1.0   Decetto   Artivated sludge.   Artivated sludge.   10.5   11,750     Industrial   Artivated sludge.   Artivated	Richmond-Sunset Plant	230,000	12.9	007'77	15.0		Brit removal, primary classification and chlorination.	Pacific Ocean	
on         1.0 Dozeetio         Artivated sludge.           n         10.5°         11,750         — Industrial         Nora         New York Slough	Southeast Plant	100,000	15.5	17,400	30.0		Srit removal, primary clarification and chlorination.	San Francisco Say	
10.5°   11.750	Golden Gate Park Plant		0.7	I	1.0		Activated sludge.		All of efflunt used for irrigation of parts and maintain decemblive lakes.
5.5         6,160         Industrial         None           2.0°         2,0°         Industrial         None           11.8°         2,0°         Industrial         None           1.7°         1,900         Industrial         None	United States Steel								
5.5°       6,100        Industrial       Sedimentation and eithering.         2.0°       2,20        Industrial       None         1.7°       2,020        Industrial       None         1.7°       1,900        Industrial       None	Columbia-Genera Division Cooling water waste		10.5°	11,750	1		prior	Lew York Slough	
2.00 2,220 — Industrial Kone  1.50 2,020 — Industrial Kone  1.70 1,900 — Industrial Kone	Oll waste		\$.5°	6,260	1		bedimentation and stimming.	New York Slough	
	Mill scale wasto		2.Cc	2,2.0	1	-	euos	New York Slough	
1.7° 1,900 Industrial None	Johna-Manville Products, Pittsburg		1.Fc	2,020	1		purcy	New York Slough	,
	Pioneer Rubber Hills,		1.70	1,900			You e	New York Slough	
	9								

Extinated on besie of PC gallons per candle per day. b. Fatinated from meriodic measurements. c. Fatinated by ameny.

# SEWERAGE FACILITIES IN CALIFORPIA (As of June 30, 1955)

			DISCHARGE	la l				
DISCHARGING AGENCY	SERVED	(mgd)	SEASONAL OCTE feet	DEBION CAPICITY (mgd)	TYPE OF WASTE	DESCRIPTION OF TREATMENT AND FUTURE PLANS	EFFLUENT	REMARKS
General Chemical Corp., Hithole		4.36	4,820	1	Induatrial	None	Sufeun Bay	
Shell Chemical Co., Pittsburg		1.66	1,790	1	Industrial	Section that one	Suf sun Bay	
C & H Sugar Refinery, Crockett, Char-waste,		1.56	1,680	1	Inactrial	Котне	Carquinez Strait	
CEVITAL CONSTAL REGION								
City of Monterey	20,000	7.7	2,570	7.0	Domestic	Committee, primary clarification and chlorinations	Monterey Bay	Deall amounts reclaimed for plant uses.
City of Pacific Grove	10,000	1.05	1,170	3.8	Desette	Committee, referry clarification and chlorination.	Youterey Bay	
City of Santa Barbara	20,000	4.3	2778"7	0.9	Domestic and industrial.	Commitmation, clarification, Hoffliration, secondary clarification, assation and chlorination.	Pacific Ocean	
City of Santa Grus	22,000	3.17	3,550	5.0	Domestic	Aeration, vacuum flotation and chlorination.	Youterey Eay	
City of Latsonville	15,800	2.33	2,615	1	Nomestic and food processing	Ocreening and chiorination. Primary treatment plant is planned with eye to reclaiming processing waste water bring summer irrigation season.	Monterey Say	
Cernel Sanitary District	Variable	C.87	9775	1	Domostic	Grit recewal, primary clarification and percolation ponde.	Monterey Bay	Some effluent used for irritrition of
LCS ANGELES REGION								
City of los Angeles Terminal Island Plant	20,000	п.9	073'9	1	Domestic and industrial	Screening, primary clarification,	San Petro Bay	
City of los Angeles Hyperion Plant	2,750,000	243.9	271,672-	572	Donestic and industrial	Activated sludge, chlorinaidon.	Pacific Ocean	
County Sanitation District of Los Argeles County	2,250,000	160	201,000	170	Domestic and industrial	Servering, prizary clarification.	Pacific Ocean	
City of Conard	30,000	3.20	3,600	2.5	Domestic and industrial	Trickling fillration, chlorination.	Pugu Lagoon	
Port Rueneme, U. S. Construction Battalion	10,000	1.0	2064	1	Domestic	Primary ciarification (lahoff tanks)	Pacific Ocean	
City of Venture	22,000	1.90	2,130	2.0	Domestic and industrial	Frinary clarification.	Pact Mc Ocean	
a. Estimated on basie of PO gallone per capita per day.	rallone per	capita pe	r day.	b. Estima	b. Estimated from periodic measurements.	. c. Estimated by mgordy.		

SEWERAGE FACILITIES IN CALIFORNIA (As at June 30, 1955)

		١	DISCHARGE				a Citia Casic		_
DISCHERGING AVENCY	BERVEO	(mgd)	SEASONAL OCTE feet	DESIGN CAPICITY (mgd)	TYPE OF WASTE	DESCRIPTION OF TREATMENT AND FUTURE PLANS	EFFLUENT	REMARKS	
CENTRAL VALLEY REGION									
City of Antioch	10,000	0.81	006		Docestic	Grit removal, pre-seration and primary clarification.	San Joaquin River		_
Pitreboard Products, Antioch Division		2.00	5,600	1	Industrial	None	San Josquin River		
San Joaquin Division	-	15.0€	16,800	i	Industrial	None	San Joaquin Piver		
SANTA ANA REGIOR									
City of Newport Beach	13,500	2.65	2,680b	1.3	Domestic	Servening, primary clarification, chlorination.	Pacific Ocean	Descrivated 7-1-54. Flow new goes to	
							ļ	of Grange Co.	
Orange County Joint Outfall	125,000	13.66	15,300	8	Domestic and industrial.	Screening, primary clerification, chlorimation	Pacific Ocean	Plant owned and operated as Plant No. 1 of County Sanitation District of Crange County as of 7-1-54.	
County Sandtation Districts of Orange County									
Plant No. 1	100	11.64	13,270	53	Domestie and industrial.	Screening, primary clarification, chlorination.	Pacific Ocean		
Plant No. 2	2000	6.02	10,100	20	Domestic and industrial.	Screening, primary clarification, cbloring tion.	Pacific Ocean		
SAN II EGO REGION							6		
City of Chala Vista	23,000	1.40	1,570	2.9	Domentie	Streening, prizary clarification, chlorimition. Framery etarification (Izboff tank).	San Diego Bay		
City of Coronado	22,900	1.FO	2,000	ı	Domestic	Collection system only.	San Diego Bay		
International Outfall Sewer	37,000	3,72	02167	05.0	Domestio	Highly averloaded septic tank.	Pacific Ocean		
City of Laguna Beach	7,500	0.Pb	96	2.0	Desette	High-rate activated sinds, chlorination.	Pacific Ocean		
City of Oceanside	20,000	1.37	1,530	2,0	Done sittle	Primary clarification, oxidation ponds.	Pacific Ocean		
City of San Diego	\$20,000	38.34	12,950	10	Domestie and industrial.	Preseration, primary clarification, chlorinations	San Diego Bay		
,*								*************	

s. Estimated on basis of 80 gallons per-capita per day. b. Estimated from periodic measurements. c. Estimated by semicy.

WASTE DISCHARGES IN MILLION GALLONS

YEAR	do amino	ALL DOG HALL	TOTAL MAD	Cartesta	CO AMADO	OT ME AT	CONTROL OCCUPANTO	and out out	8000			
AND MDNTH 1953-54	CITI OF MILL VALLEY	AARIN COUNTY SANITARY DISTRICTS NOS. 1 & 2	SAN HAFAEL SANITATION DISTRICT	MARIN CITT SANITARY DISTRICT	CITY OF	PITISBIBG	CENTRAL CONTRA COSTA SANITARI DISTRICI	CITY OF SAN LEANDRO	EAST BAT MUNICIPAL UTILITY DISTRICT	RATWARD SANITART DISTRICT	ORO LOWA SANITARI DISTRICT	UNION SANITART DISTRICT
JULY	15.3	65.0		11.11	43.3	29.5	83.9	101;8	1,525.5		165.9	
AUGUST	18.1	56.0 **		18.1	40.5	76₹	82.7	98.9	1,523.4		155.0	
SEPTEMBER	15.5	29.0		19.0	38.2	27.3	91.6	97.2	1,663.3		155.0	
остовея	15.0	61.0	47.2	19.7	37.8	26.6	100.0	4.079	1,617.7		158.0	
NOVEMBER	18.8	78.0	54.8	32.2	31.0	25.9	87.9	4*68	1,555.9		152.0	
DECEMBER	22.8	75.0	53.8	10.8	32.2	25.2	85.9	88.4	1,573.0		170.0	
JANUARY	33.0	70.4	70.6	15.7	34.1	30.5	112.6	0*86	1,804.0	4104	180.0	
FEBRUARY	31.1	73-3	73.3	14.2	45.7	27.5	135.0	7.96	1,802.2	55.7	168.0	
MARCH :	45.3	4.77	5,479	16.8	51.4	29.0	125.1	120.3	1,971.0	6*79	204.06	
APRIL '	32.2	64.1	65.2	31.6	41.8	27.6	121,1	102,1	1,744.5	57.9	192.0	
MAY	20.7	62.5	48.6	13.8	90977	27.8	106.3	97.04	1,679,0	63.6	169.1	
JUNE	18.2	59.8	41.7	20.5	40.5		7.66	1.19	1,594.04	58.3	171.0	
SEASONAL TOTAL												
MILLION GALLONS	286.0	802°0	519.7*	203.5	481.1	306,3*	1,231.8	1,178,7	19,993.9	341.6*	2,066.5	
ACRE-FEET	875	2,460	2,130	630	1,480	1,020	3,770	3,620	61,400	2,090	6,340	
1 9 54-55												
JULY	18.5	9*69	47.5	20°7	39.1		105.5	66.2	1,593.2	78.2	167.4	14.2
AUGUST	15.3	62.6	7*87	23.5	39.0	28.2	111.8	7.96	1,645.7	132,2	164.3	20.7
SEPTEMBER	18.6	52.8	42.6	21.7	37.4	27.5	110.6	99.5	1,619.6	136.5	165.0	34.8
OCTOBER	30.1	56.2	1.1,	22.7	38.7	30.1	109.0	7*16	1,585.7	117.9	167.4	23.1
NOVEMBER	21.8	91.0		25.0	2017	29.1	99.3	104.3	1,584.4	68.5	174.0	16.6
OECEMBER .	45.6	128.3		33.8	56.0	31.6	155.0	91.0	1,743.7	6*69	226.3	16.9
JANUARY	53.6	123.6	†*09	7-44	63.2	29.0			1,983.3	61.3	310.0	20.7
FEBRUARY	26.8	8*06	71.6	26.2	58-1	24.07			1,490.8	63.4	267.2	16.9
МАКСН	25.1	9°06	74.7	25.7	63.8	26.2			1,679.5	69.2	198•4	16.2
APRIL	30.8	103.3	63.8	24.05	57.3	25.8			1,644.9	9°59	192.0	17.3
MAY	23.4	84.3	69.1	24.0	. 9°65	26.4			1,604.2	68.1	198.4	20.0
JUNE	21,2	61.1	4.09		7*67	27.8			1,514.0	75.6	195.0	24.3
SEASONAL TOTAL												
MILLION GALLONS	330.8	1,013.2	5,799*	292.2*	602.8	306.4*	691.2*	578.1*	19,689.0	1,006.4	2,365.4	231.7
ACRE-FEET	J COOL	3 110	0.00	200	1							

\* Perrial records only, seasonal total in acre-feet estimated.

WASTE DISCHARGES
IN MILLION GALLONS

### CITT OF CITT OF CITT OF SAN HATED  ###################################												
20.0   126.1   135.6	CITY OF HOUSTAIN VIEW	CITY OF PALO ALTO	CITY OF BURLINGAME	CITY OF MILIBRAE	CITY OP HEDWOOD CITY	CITY OF SAN MATED	CLITIES OF SOUTH SAN FRANCISCO- SAN ERUNO	MENIO PARK SANITARI DISTRICI	SAN CARLOS— BELMONT SANITARY DISTRICT	SAN FRANCISCO NORTH POINT	SAN FRANCISCO RICHOND SUNSET	SAN FRANCISCO SCUTH EAST
FIG. 22,7 118.6 32.0 F. 95.4 F. 95.4 F. 12.5 F. 12.5 F. 95.4 F. 12.5 F. 12.5 F. 95.4 F. 12.5 F. 95.4 F	20.0	126.1	33.8		74.2	7m	107.8	62.0	43.4	624.9	379.7	273.7
13.6   24.9   114.2   31.6   90.4   90.4   136	21.7	118.8	32.0	٠	72.56		103.1	61.3	43.4	6.696	385.6	329.9
13.6   123.9   31.5   135.9   135.9   136.9	24.9	114.2	31.6		7*06		97.5	8.85	0.54	936.6	387.6	315.5
13.6   13.6   13.6   36.5   13.0   91.6   13.9     23.6   124.3   37.5   14.9   91.1   19.9     23.6   124.3   27.2   14.9   91.1   12.6     23.6   137.4   17.2   18.0   112.6   191.5     25.7   137.2   14.7   18.0   112.6   191.5     26.6   137.2   14.7   18.0   112.6   191.5     26.6   137.2   14.7   16.1   92.2   191.5     26.6   137.2   14.7   16.1   92.2   14.7   92.2     26.6   137.0   14.5   14.7   92.2   14.0     26.7   136.0   136.0   14.5   14.7   92.2     26.8   137.0   136.0   14.5   14.7   92.2     27.3   126.0   26.2   13.0   14.3   100.4     26.2   130.1   126.1   26.2   13.0   100.4     26.3   131.2   136.0   136.0   136.0   136.0     27.3   134.2   136.2   136.0   136.0   136.0     27.3   134.2   136.2   136.0   136.0   136.0     27.3   132.2   134.2   136.0   136.0   136.0     27.3   132.2   132.2   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0   136.0     27.3   132.2   136.0   136.0     27.3   132.2   136.0   136.0     27.3   132.2   136.0   136.0     27.3   132.2   136.0   136.0     27.3   132.2   132.2   132.2     27.3   132.2   132.2   132.2     27.3   132.2   132.2   132.2     27.3   132.2   132.2   132.2     27.3   132.2   132.2     27.3   132.2   132.2     27.3   132.2   132.2     27.3   132.2   132.2     27.3   132.2   132.2     27.3   132.2   132.2     27.3   132.2     27.3   132.2     27.3   132.2     27.4   132.2     27.5   132.2     27.	23.6	125.9	31.5	j5.5	9*88	158	97.8	70.9	55.8	1,019.7	405.B	442.6
25.6 126.3 77.5 14.9 91.1	19.8	121.6	36.5	15.0	91.8	159	92.6	9.77	0*09	1,049,9	348.2	502.9
25.6   137.4   47.7   18.0   112.8	23.6	124.3	37.5	14.9	91.1		87.7	77.9	57.7	1,043.4	276.1	477.2
25.3   127.6   56.3   18.5   100.5     26.0   135.2   149.4   72.6   84.5     26.0   135.2   149.4   24.9   92.7     26.0   135.2   149.4   24.9   92.7     26.0   135.2   149.4   140.1   140.1   92.1     26.0   135.2   140.1   140.1   140.2   140.2     26.1   127.0   140.1   137.6   140.2   140.0     26.2   126.0   36.7   14.3   140.9   5.000   3.   27.3   126.0   36.7   14.4   79.6   90     27.3   126.1   22.2   16.7   84.2     27.9   130.1   26.2   14.4   79.6   90     27.9   130.1   26.2   14.4   79.6   90     27.9   130.2   26.2   14.4   79.6   90     27.9   130.2   26.2   14.4   79.6   90     27.9   130.2   26.2   14.4   79.6   90     27.9   130.2   26.2   14.4   79.6   90     27.9   130.2   26.2   14.4   26.2   14.0     27.9   130.2   26.2   130.2   26.2     27.9   130.2   26.2   130.2   26.2     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0     27.0   27.0   27.0     27.0   27.0   27.0     27.0   27.0     27.0   27.0   27.0     27.0   27.0     27.0   27.0   27.0     27.0   27.0	25.6	137.4	47-7	18.0	112.8		1,011	82.6	52.7	7,171,1	393.0	452.9
26.0   135.2   6.94.4   24.9   92.7   93.1     26.0   135.2   6.94.4   24.9   92.7   92.1     26.5   135.0   40.1   16.1   92.2   92.7     26.6   137.0   40.1   14.7   95.2     36.6   127.0   40.1   14.7   95.2     4ALONS   286.3   1,543.7   559.1   137.6   1,110.3   1,110.3     57   28.2   1,543.7   569.1   137.6   1,110.3   1,110.3     58   28.5   1,26.0   36.7   14.4   79.6   90     58   28.5   136.2   38.5   15.0   92.0   118     59   31.9   134.2   62.0   126.0   113.8   118     59   31.3   134.2   65.4   16.7   86.4   110     59   31.3   134.2   65.4   15.5   86.4   110     59   31.3   134.2   65.6   15.2   86.4   110     50   31.3   134.2   36.5   15.2   86.4   110     50   31.3   134.2   36.5   15.2   86.4   110     50   31.3   31.3   34.3   31.3   82.2   111     50   50   50   50   50   50     50   50	23.3	127.8	56.3	18.5	101.5		102,8	76.3	9*19	1,034.0	290.5	319.8
26.6 135.2 49.4 24.9 92.7 92.1 1.0.1 1.0.1 1.0.1 92.1 92.1 92.1 1.0.1 92.1 92.1 92.1 92.1 92.1 92.1 92.1 92	26.7	134.4	72.6		84.5		129.9	86.5	71.3	1,213.5	325.1	476.8
26.5   157.0   40.1   16.1   92.1   92.1     26.6   127.0   40.1   11.7   95.2   14.4     26.6   127.0   40.1   11.7   95.2   14.4     26.1   127.0   40.1   137.6   14.4   14.1     26.2   126.0   36.7   14.3   100.9   14.4     26.2   126.1   36.7   14.4   105.4   106.5     26.2   126.1   36.2   14.4   195.6   90     26.3   136.2   130.1   38.3   14.4   130.6   118     26.3   136.2   62.0   126.0   136.0   131.8     26.3   134.9   46.0   17.4   86.4   151     26.4   135.2   36.7   135.2   86.4   130.0     26.5   133.9   34.3   135.2   86.4   111.8     27.5   133.9   34.3   135.2   86.4   111.8     28.5   133.9   34.3   135.2   131.8     27.5   133.9   34.3   135.2   131.8     27.5   133.9   34.3   135.2   131.8     27.5   133.9   34.3   135.2   131.8     27.5   133.9   34.3   135.2   131.8     27.5   133.9   135.2   133.5   131.8     27.5   133.9   134.3   135.2   131.8     27.5   133.9   134.3   135.2   131.8     27.5   133.9   134.3   135.2   131.3     27.5   133.9   136.5   136.5   131.8     27.5   27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5   27.5   27.5     27.5	26.0	135.2	7*67	24.9	92.7		95.3	74.2	54.0	775.6	1,004	8.097
TOTAL  ALLONS  ET  BESS  L1,74,0  10,1  11,10,3  ET  BESS  L1,74,0  11,54,7  599,1  137,6*  11,10,3  L4,4*  569,1  137,6*  11,10,3  L4,4*  569,1  137,6*  11,10,3  L4,4*  569,1  137,6*  11,10,3  L4,4*  569,1  11,10,3  11,10,3  L4,4*  56,7  11,10,3  11,10,3  L4,4*  11,56,0  11,10,3  11,10,3  L4,4*  11,50,0  11,10,3  11,10,3  L4,4*  11,10,3  11,1	26.5	151.0	1.04	16.1	92.1		88.6	76.3	9.67	6.086	443.8	529.1
FT 586.3 1,543.7 509.1 137.6 1,110.3 4448  SET 865 4,740 1,550 652 7,400 5,000  SET 28.2 120.9 36.7 14.3 100.9 5,000  SER 28.5 113.5 38.5 15.0 92.0  SER 28.5 113.5 136.5 15.0 10.9 118.9  SER 28.5 113.5 136.5 15.0 86.4 15.1  SER 28.5 135.9 126.2 15.0 113.8 118  SER 28.5 133.9 136.2 15.0 86.0 14.1  SER 28.5 133.9 136.2 15.0 86.0 14.1  SER 28.5 133.9 136.2 136.5 133.5 1,113.8 118  SER 28.5 1,113.8 1,1	26.6	127.0	1*07	14.7	95.2		85.7	71.5	0.84	9.616	1°507	552.4
ET         885         1,543.7         509.1         137.6°         1,110.3         464*           SET         885         4,740         1,550         62g         3,100         5,000           SS         27.3         126.0         36.7         14.3         100.9         5,000           SS         27.3         126.0         36.7         14.3         100.9         5,000           SR         27.3         126.0         36.7         14.3         100.9         5,000           SR         27.3         113.5         38.1         14.4         79.6         90           SR         27.9         130.1         38.3         14.4         79.6         90           SR         27.9         130.1         38.3         14.4         79.6         90           SR         33.9         134.9         46.0         17.4         86.4         151           SR         33.9         134.9         16.0         17.4         86.4         14.0           SR         34.3         13.5         15.0         86.4         14.1           SR         34.3         34.5         13.5         14.4         14.4         14.4 </td <td></td>												
ET         885         4,740         1,560         698         3,400         5,000         3           55         27.3         126.0         36.7         11.3         100.9         5,000         3           5         27.3         126.0         36.7         11.3         100.9         5,000         3           5         28.2         120.9         36.1         11.3         100.9         7         7           5         28.5         113.5         38.5         15.0         92.0         7         7           7         29.1         126.1         32.2         16.7         64.2         90         7           8         27.9         130.1         38.3         14.4         79.6         90         7           9         35.3         134.2         62.0         18.0         113.8         118         118           10         35.3         134.9         66.0         17.4         86.4         151           10         36.3         134.9         12.2         14.4         14.4         15.0           10         36.3         134.9         12.4         15.0         86.4         11.1	288.3	1,543.7	509+1	137.6*	1,110,3	1,64.*	1,198.9	875.9	637.5	12,128.8	4,440.8	5,131.6
27.3   126.0   36.7   14.3   100.9	885	4,740	1,560	638	3,400	5,000	3,670	2,690	1,960	37,200	13,600	15,700
FR 28.2 120.9 38.1 14.3 100.9 100.9 100.9 100.9 100.9 100.9 100.9 100.9 100.9 100.4 100.9 100.4 100.9 100.4 100.9 100.4 100.9 100.1 100.4 100.0 100.4 100.4 100.0 100.4 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.4 100.0 100.0 100.4 100.0												
FR 28.2 120.9 38.1 14.3 105.4   105.4   105.4   105.4   113.5   113.5   113.5   113.5   113.5   115.0   92.0   115.0   92.0   115.0	27.3	126.0	36.7	14.3	100.9		89.2	74.5	46.5	1,006.9	0.114	437.0
FR 28.5 113.5 38.5 15.0 92.0	28.2	120.9	38.1	24.3	105.4		94.7	72.5	40.3	1,005.4	417.5	445.0
7 27.9 126.1 32.2 16.7 84.2 90 10.1 126.1 38.3 14.4 79.6 90 90 113.8 12.2 12.2 12.2 12.2 12.2 12.2 12.2 12	28.5	113.5	38.5	15.0	92.0		85.0	72.7	78.0	983.8	393.7	386.8
7 27.9 130.1 38.3 14.4 79.6 90 90 13.8 13.8 13.8 13.8 13.8 13.8 13.8 13.8	29.1	126.1	32.2	16.7	84.2		90.3	7.77	46.5	1,048.8	7"027	432.0
36.9   137.6   62.0   18.0   113.8   118   118   118   118   120   135.2   134.2   69.4   18.6   118.9   208   208   134.9   46.0   1744   88.4   151   122   135.9   136.2   141   142.8   36.6   15.2   86.4   140   141   142.8   36.6   15.2   86.4   140   141   140.4   135.2   141   140.4   140.7   1,132.5   1,111*	27.9	130,1	38.3	77.7	79.6	06	9*101.	76.2	0°7%	1,115.5	376.6	0.474
36.3         154.2         69.4         16.6         118.9         206           33.3         134.9         46.0         17.4         8e.4         151           36.3         144.9         42.8         18.3         92.7         122           33.9         13e.2         36.7         15.0         88.0         141           31.5         13.5         36.6         15.2         86.4         140           TOTAL         31.5         34.3         13.5         82.2         141           GALLONS         37e.3         1,132.5         1,111*         1,111*         1,111*	31.9	137.6	ó*29	18.0	113.8	118	132.4	82.7	74.4	1,309.9	392.3	676.0
131.9   134.9   16.0   174.   881.4   151   152   15.0   14.9   14.0   15.0   16.0   174.   15.0   122   122   122   122   123   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.11*   13.5   13	36.3	154.2	7.69	18.6	118.9	308	135.7	89.5	74-4	0,316,0	305-4	
33.9   136.2   38.7   15.0   88.0   14.1   14.2   15.2   15.2   14.1   14.2   15.2   15.2   14.1   14.2   15.2   14.1   14.2   15.2   14.1   14.1   15.2   14.1	33.3	134.9	0*97	17.04	86.4	151	113.4	78.9	81.2	1,026.4	350°7	
33.9 138.2 38.7 15.0 88.0 14.1  34.1 142.8 36.6 15.2 86.4 14.0  NAL TOTAL  ON GALLONS 378.3 1,603.1 513.6 190.7 1,132.5 1,111* 1,	36.3	144.9	42.8	18•3	92.7	122	129.5	86.8	77.5	1,077.7	396.1	
31-5 133-9 36-6 15-2 86-4 140 140 141 141 141 141 141 141 141 14	33.9	136.2	38.7	15.0	88.0	ניוו	96.2	83.4	0,999	1,122.4	6*907	
NAL TOTAL 370-3 1,603-1 513-6 190-7 1,132-5 1,111* 1	34.1	3,2,1	36.6	15.2	86.4	140	2,111	4-68	74.4	1,025.9	1'907	
376.3 1,603.1 513.6 190.7 1,132.5 1,111*	31.5	133.9	34-3	13.5	82.2	ניונ	111.4	83.2	0,99	1,001.7	4.607	
378.3 1,603.1 513.6 190.7 1,132.5 1,111*												
	-	1,603.1	513.6	190.7	1,132.5	*111,1	1,291.1	967.5	749.2	13,052,4	4,705,1	2,850,8*
ACRE-FEET 1,160 4,920 1,520 582 3,470 5,140 3,960	1,160	4,920	1,580	582	3,470	5,240	3,960	2,970	2,300	000*07	14,400	17.500

+ Partial records only, seasonal total in acre-feet estinated.

TABLE 3-Centinued
WASTE DISCHARGES
IN MILLION GALLONS

YEAR AND MONTH	CITY OF MONTERET	CITY OF FACIFIC CROVE	CITY OF SANTA CRUZ	CITY OF WATSONVILLE	CITY OF LOS ANGELES HYPERION PLANT	CITY CF LOS ANGELES TERMINAL ISLAND FLANT	CITY OF OXNARD	CITY OF VENTURA	SANITATION DISTRICTS OF LOS ANGELES COUNTY	PORT HUENEVE U.S.N.C.B.	CITY OF ANTIOCH	CITY OF NEWPORT BEACH**
JULY	35.4	0*6			7,426-1	176.8	9:911	55.8	4,398.8	29.5	25.1	6.66
AUGUST	36.8	77.77			7,205.6	170-1	112.4	55.8	4,452.7		24.5	107.7
SEPTEMBER	37.8	21.6			7,068.6	158.8	113.2	0.42	5,661.6		24.2	83.3
OCTOBER	37.6	20°1			7,340,8	161.0	119.5	55.8	4,537.4	30.3	24.8	81.1
NOVEMBER	37.0	20.8			6,982.8	144.8	120.7	54.0	4,548.6	29.8	23.8	77.2
DECEMBER	37.9	19.7			6,940.3	183.7	116.0	55.8	4,517.1	30.7	24.1	77.72
JANUARY	0.44	23.5		51.8	7,394.1	19101	10%01	55.8	5,730.9	32.3	25.9	72.6
FEBRUARY	0°07	20.9		48.3	6,820.2	154.5	97.3	₹00€	4,566.1	32.6	77.62	69.1
MARCH	6°87	30°8		65•3	7,679.0	167.1	7.121	55.8	5,903.1	33.3	26.3	75.5
APRIL	7,602	29.1		74.8	7,413.6	16591	122.9	0.45	4,787.3	33.2	26.6	76.8
MAY	46.2	22.1		76.8	7,538.9	161.7	93.1	55.8	4,806.2	37.8	26.5	57.8
JUNE	39.66	24.9		7*09	7,482.6	178.0	97.3	0°75	6,017.9	37.0	24.5	
SEASONAL TOTAL												
MILLION GALLONS	492.6	257.5	1,062*	821,2*	87,292.6	2,032,7	1,335.1*	657.0	59,927.7	326.2*	299.7	872.4*
ACRE-FEET	1,510	787	3,260	2,520	267,900	.6240	4,100	2,020	163,900	1,200	968	2,910.
1 954-55												
JULY	41.5	26.2		55.6	7726.8	203.4	96.5	58.9	006*7	40.5	25.1	
AUGUST	75.0	7.42		74.2	7,673.4	185.3	7*66	58.9	5,100	3619	24.7	
SEPTEMBER	38.7	30.4		73.8	7,394,1	182.8	98.6	57.0	7,700		23.4	
OCTOBER	39.4	30.9		89.2	7,562.8	187.8	102.2	58.9	5,000		23.6	
NOVEMBER	36.5	24.06		89.8	7,112,4	179.2	101.4	57.0	5,000	35.0	23.3	
DECEMBER	38.6	31.8		82.4	7,414.9	186.9	106.1	58.9	6,200	32.5	25•2	
JANUARY	58.5	47.7	168,5	79.2	7,658.5	19204	101.8	58.9	7,900	32.9	25.4	
FEBRUARY	42.9	37.5	89.4	0.09	7.896.4	16891	93.0	53.2	7,800	30.8	23.0	
MARCH	7077	57.8	94.5	67.7	7,552.5	187.7	98.5	58.9	00149	31.0	26.0	
APRIL	75.0	29.6	99.1	77.6	7,295.7	180.5	7.86	57.0	006*7		24.6	
MAY	0°57	34.45	81.1	55.0	7,449.3	182,2	105.2	58.9	006*7	31.2	25.8	
JUNE	38.9	3104	0°62	49.5	7,274.7	187.9	98.5	57.0	. 6,200	19.7	24.7	
SEASONAL TOTAL												
MILLION GALLONS	511.4	386.7	1,156.4*	852.0	89,011.5	2,230,2	1,199.6	693.5	92,700	290.5*	294.8	
ACRE-FEET	1,570	1,190	3,550	2,610	273,170	6,840	3,680	2,130	201,600.	1,190	896	

\* Partial records only, seasonal total in acre-feet estimated, \*\* Annexed to Orange County Sanitation Districts, July 1, 1954

WASTE DISCHARGES
IN MILLION GALLONS

INTERNATIONAL CUTFAIL SEWER	911	11.7	112	109	201	31.5	113	701	318	777	יונו	711		1,352	4,150		911	77.7	щ	109	1115	911	2115	306	TI.	tt	11.7	ns		
CITY OF SAN DIBGO	1,139.1	1,158.0	1,127.1	1,176.0	1,174.0	נינגנינ	1,301.1	1,150.3	1,379.7	1,176.7	1,150.9	1,122.0		14,226.6	13,660		00506	1,199.9	1,174,1	1,181.9	1,149.5	1,173.4	1,276.5	1,123.8	1,235.4	1,156.0	1,255.6	1,164.4		
CITY OF OCEALSIDE	14.3	13.7	1.04	38.1	37.9	38.8	39.1	34.06	38.2	36.8	39.5	38.4		1,074	۵۱۳۰۲		6.07	8.444	37.7	37.5	38,1	. 38.6	7007	37.3	75°5	44.5	6.74	47.9		
CITI OF LAGUNA BEACH	38.5	12.2	28.7	26.5	26.6	27.1	2.5	21.3	23.8	23.2	23.8	24.04		326,6	1,010		34.7	39.7	27.0	22.9	21.5	21.6	24.1	23.8	23.4	7,42	24.5	26.6		
CITY OF CHUIA VISTA P STREET FLANT	29.8	38.1	37.1	37.8	38.8	7.07	39.8	32.7	35.4	38.5	0°07	39.3		7.744	1,370		6.17	44.5	43.8	13.1	12.7	42.0	42.3	37.3	41.6	40*	1.2,1	48.5		
ORANGE COUNTY SANITATION DISTRICT PLANT #2								, '									240.7	304.5	280.9	271.8	226.1	219.0	234.5	272.4	238.0	340.7	299.2	365.7		
ORANGE COUNTI SANITATION DISTRICT FLANT #1																	345.1	351.8	368.4	366.5	355.0	362.9	373.5	298.6	403.7	310.2	6.917	372.3		
ORANGE COUNTY CONTY SEWER**	136.9	6.177	1,30.5	149.7	נינטיי	381.0	0.124	375.6	405.8	0.604	7797	0.714		4,995.1	15,300			-												
YEAR AND MONTH	JULY	August	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCN	APRIL	MAY	JUNE	SEASONAL TOTAL	MILLION GALLONS	ACRE-FEET	19 54-55	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	SEASONAL TOTAL	

\* Partial records only, seasonal total in acre-feet estimated.

TABLE & ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

								•													,	
	Remorks					Raw Sewage	Кам Земаде	Raw Sewage	Raw Sewage					Raw Sewage	Пам Ѕемаge	l.						
Mordness	N.C.		0	77.	220	0	0	0	0	0	74	0	7	77.4	0	62	877	122	21	16	۶	
Mord	Totol		265	330	387	354	332	258	354	246	097	30%	338	1940	138	122	22	148	132	09	20	
	gina dium		26	. 65	2	25	67	59	24	45	3	8	23	89	.02	75	52	57	53	38	56	
Totol dis-	solved eo lids ppm		1,020	1,680	1,560	1,290	1,090	752	696	638	1,000	892	1,180	12,600	536	327	336	360	290	125	181	
	Silico (SiO <sub>2</sub> )		22	61	16	28	25	53	32	77	56	33	25	77.	98	£1	17	70	36	79	15	
	Boron (8)		0.44	0.52	0.16	1.8	0.69	1.9	1.4	0.61	0.99	0.0	0.85	2.2	0.38	0.31	0.17	4.5	F. 3	0.12	0.11	
	Fluo- ride		0.03	0.02	0.07	0.15	0.05	0.11	0.11	0.03	0.0	0.05	0.05	0.03	0.05	0.0	0.0	0.0	0.00	0.01	0.01	
ion	trois (NO <sub>3</sub> )		0000	0.02	3.6	0.02	0.8	0.0	0.0	0.0	8.6 C. 14	0.12	0.00	0.08	0,10	0.01	0.02	0.03	0.04	0.0	0.01	
te per	Chloride (CI)		415	20.02	800	426	305	3.36	206	2.90	178	182	370	6280	155	1.89	1.89	101	28	26	0.62	
parts per million equivalents per million	Sulfate (SO4)		41	200	120	132	2.39	1.15	1.35	3.02	227	126	197	998	2.6	2.10	1.0	2.33	1.19	0.38	2.10	
.E.	Bicor- bonote (HCO <sub>3</sub> )		334	336	3.28	4.92 8.06	518 8.49	564	672	308	477	7.67	362	1110	288	7.4	54	32 0.52	136	53	000	
constituents	Corbon- ole (CO <sub>3</sub> )		000	0.00	000	000	0000	0000	00.0	00.0	0000	0.00	000	6.23	00.0	०००	0.0	000	0.0	0.0	000	,
	Potos- sium (K)		18	0.56	0.61	18	0.59	14 0,36	16.0	0.26	7.3	19	15 0.38	3.94	12 0.31	2.2	1.8	2.5	19	1.4	1.5	
Minerol	Sodium (No)		240	19.39	19.57	284	219	7.83	7.53	112	7.57	7.74	10.57	174.81	100	2.91	1.91	2.70	30 0	27.74	0.74	
	Magne-S sium (Mg)		3.95	5.59	3.29	58	60 60	3.87	6.17	2.63	55 4.52	3.54	3.37	34.46	13 1	1.15	11000	17: 17:	6.7	6.6	8.0	
	Colcium (Co)		1.35	2.20 5	88	2.30 4	34 4	26	3 00.00	2.30	4.69	2.54	3.39	85 4.24 3	1.70	1.30	0.95	36	2,10	0.65	0.75	
	¥ .		7.3	7.3	7.2	4.7	7.3	7.6	7.6	7.4	7.6	7.3	7.4	60	7.1	7-1	6.9	6.7	2	7.2	3.7	
Specific conduc-	(micro- mhos of 25°C)		1,990	3,050	3,030	2,290	1,980	1,450	1,790	1,130	1,630	1,600	2,110	19,800	010,1	999	827	929	716	77.7	375	
5	9 F				75	69	99		99			99		99	63			,	62	38	E	
	dis- chorge mgd	**	0.7	2.2	9.0	1.7	1.5	0.8	1.3	2.7	1.4	0.9	1.0	1.3	0.25	10.5	5.5	2.0	1.8	1.7	4.3	
	Dote .		4/22/54	4/30/54	4/28/54	4/23/54	4/23/54	4/29/54.	4/26/54	3/24/54	3/25/54	4,2,24	3/18-19/	3 /31/54	3/31/54	3/17/54	3/11/54	3/16.54	3/19/54	3/18/54	3/22/54	
	Dischorging Agency	SAN FRANCISCO BAY REGION®	City of Mill Valley	San Rafael Sanitary District	Sausalito-Marin City Sanitary District	City of Vallejo, North Outfall	South Outfall	Cities of Fairfield - Suisun	City of Benicia	Central Contra Costa Sanitary District	City of Concord	City of Martinez	City of Pittsburg	City of Richmond, Castro Street	South 10th, Street	Columbia - Geneva Steel, Pittsburg Cooling Mater Outfall	Oil Waste	Will Scale	Johns-Manville, Pittsburg Outfall	Pioneer Rubber Wills	General Chemical Corporation (Nichols)	

MINERAL A-Cottsmed
MINERAL ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

TABLE 4-COATINGS
MINERAL ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

	Remorks						v					Welghted mean of 3-8 hr. composite sample.	Raw Sewage.	Raw Sewage.	Raw Sewage,	Raw Sewage.						Weighted mean of 3-8 hr.
:: 0	N.C.	0	o	a	0	0	0	186	230	317	0	0	0	0	0	0	0	0	0	0	ь	34
Hordness	Totol	122	242	306	238	326	352	219	784	916	356	386	787	310	206	238	154	140	171	135	344	337
> å	so-	. 79	27	34	07	. 57	8	89	52	57	52	57	57	99	07	38	90	07	97	177	龙	54
Total die-	solids ppm	858	61,9	099	669	828	1,150	1,000	2,210	2,920	1,120	1,357	1,520	1,480	574	695	545	557	615	187	1,110	1,220
	Silico (SiO <sub>2</sub> )	8	22	72	77	28	34	73	38	577	8	34	36	07	39	38	21	23	21	26	18	21
	Boron (B)	87.0	0.51	0.37	99.0	7.7		0.26	09.0	95.0	69°0	29.0	17.0	19.0	F.3	0.88	19.0	87.0	69.0	0.82	1.2	0.55
	Fluo- ride (F)	2.8		0.06		0.0		0.0	0.05		0.05		0.04	0.05	0.0	0.0	0.4		0.07		0.00	
on	frote (PJ)	1.4	0.01	0.01	0.01	000	0.02	2.21	0.0	0.05	000	0.05	0.23	0.37	0000	000	0.5	0.01	000	0.00	000	0.9
s per n	Chlorids (CI)	302	777	3.16	86	206	284 8.01	385 10.86	24.54	34.41	355	12.91	560	540	1.83	62	3.72	2.90	3.81	2.93	11.85	428
ports per million equivolents per million	Sulfote (SO4)	1.15	86.0	8.6	1.77	1.58	2.33	2.06	3.58	206	1.54	2.39	41 0.85	26 0.54	0.56	0.73	10.00	29.00.00	27:12	0.67	31.0.65	14,3
	Bicor- bonote (HCO <sub>3</sub> )	316	348	286 9.60	436	7.21	554 9.08	99.0	676	11.98	\$22° 8.55	\$21 8.55	8.23	8.57	7.64	797.	378	352 5.77	362	354 5.80	8.11	370
uenits in	Corbon- B ote b (FCO3)	00.00	0.00	000	0000	0.00	0.00	00.0	0.00	000 000 12L	000	000	0000							0.00		
constitu	1								~~~					0.00	00.00	0.00	00.00	0.00	0.31 0.00	1		0
Mineral constituents		20 0.51	0.38	0.31	0.31	0.43	0.56	1 0.72	0.59	8 0.77	17.0 2	5 0 44	7 4.35	1 170	0.79	33	0.33	0.31		0.36	9 0.38	16
Z	Sodium (No)	222	120	106	011 2	154	228	10.61	20.70	655	236	307	335	13.20	4.04	3.78	5.04	3.96	7 5.22	70.7	262	261
	Mogne- sium (Mg)	1.64	1.44	1.97	36 2.96	3.54	3.95	2.63	8.55	60 4.95	49	3.45	2.30	2.80	1.97	2.47	27 2.22	21/11/1	30	1.75	3.%	577
	Colcium (Co)	9,80	28	83	36	3.00	3.09	35	77.2	268	3.10	84 4.19	3.39	3.39	2.15	2.30	0.85	1.10	19!	19 0.95	3.84	61
	F	7.5	7.6	8,1	7.1	7.4	7.4	7.2	7.8	7.8	7.7	7.5	6.3	6.2	7.2	7.2	7.2	7.0	7.3	7.3	73	6.9
Specific conduc-	(micro- mhos ot 25°C)	1,580	1,190	1,270	1,140	1,500	1,950	1,730	3,970	7,860	2,000	2,359	2,910	2,800	1,050	1,060	1,110	716	1;170	1,030	2,130	2,137
1	0 F					3		72					72	2		7.7					99	99
Meon	dis- chorgs mgd	,2,4	2-4	5.9	6.9	1.1		0.09	0.8	1.2	9.4	4.7	24.7	24.6	1.0	1.6	1.4	1.2	0.5	0.5	2.9	2.9
	Oots		5/14/55	75/	3/11/55	4/12-13/	3/14/55	1-12/	1/17/27	3/16/55	/12/13/	3/16-17/	16-7/54	17-8/54	18/8/	/14/54	75,61/1	75/91/	1,50/27	1/55	1954	3/16-17/
		5/3/54	2/5	5/4/54	3/17	77	3/11	et 5/11	77/7	3/16	4/12	3/16	7/19	4/7	8, 7	77.7	4/19	3/16	7,70	3/16/55	4/12	3/16
	Discharging Agency	SAN FRANCISCO BAY REGION (Cont'd) Hayward Sanitary District		Oro Loma Sanitary District		Union Sanitary District		East Bay Funicinal Utility Olstrict 5/11-12/	City of Mountain View		City of Palo Alto		City of San Jose		City of Sunnyvale		City of Burlingame		City of Millbrae		City of Redwood City	> .

TABLE 4-Continued
MINERAL ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

Remorks										Grab sample										7-day composite.	
0	E	226	168	7/2	282	8	0	827		0	0	0		. 0	0					7/2	
. ] -	2	51.1	270	305	917	362	159	587		86	770	C <sup>1</sup> Z		200	367		88	224	210	287	
		0 62	i 49	2 53	9	95	69	0 71		1 38	2 45	87	5 68	3	0 67		0 57	89	89	65	
		2,02	12	1,10	1,28	1,29	25	2,3		37	15	522	1,74	24	1,40		98	78	86	7/6	
Silico (SiO <sub>2</sub> )		21	র	88	20	8	z z	22		33	31	33		36	36					20	
	-	0.5	1,2	0.51		69.0	2:1			0.24	72.0	0.35		0.48	1		0.5	0.8	6.0		
	_	-1.			1												0.08	0.11	0.09		
in train		<del></del>	200	0.00	1.89		9.9			0.01	0.0	0.02	2.2	0.03	0.02					1.39	
Chlorid (CI)		892 25.16	232	333	590	578	280	29.90		52	3.50	3.55	631	2.32	530		200	5.77	238	238	
Sulfote (SO4)		3.93	5.95	210	22 0.46	65	1.58	757		0.83	28	63	211	59 1.23	2.10		121	3.04	2.33	3.24	
Bicor-	0	348	124	315	164	368	3.46	1.15		281	343	267	12.75	339	47.72					3.24	
		000	0.00	0000	000	.000	0.00	000		000	000	0.00		0.00	000					08	
		30	17 0.43	17 0.43	16 0.41	0.36	19 0.49	36		13	0.36	15	28	11 0.28	0.51		18	15 0.33	18	91.0	
-		492	169	232	296	314	3,39	610		64 2.78	102	100	552	102	369		188	240	228 9.91	3.36	
			33		3.54					-1	1.05	200	5.55	취급			1.7	25 2:1			
-			2.69							-	35	23	102	2.89			2.3	2.4			
I		7.2	8,9	7.3	7.2	7.2	7.7	7-7		7-4	7.4	7.4	7.3	7.5	6.9		7.1	7.4	7.4	7.9	
fonce (micro- mhoe		3,490	1,580	1,920	2,430	2,480	1,480	3,950		719	946	1,000	2,770	950	2,550	,				1,540	
Temp P P					,	,															
die- chorge		9-7	3.0	3.5	2.5	2.9	36.0	12.5		1.0	1.4		0.4		2.3		232.8	237.1	240.3	242.5	
Dote		16/55	/21-22/	1955	13/54	15/55	1954	1954		17/55	17/55	17/55	/30-31/	10/55	10/55						
Oischarging Agency	SAN FRANCISCO BAY REGION (Contid)		Cities of South San Francisco- 4/	(4)	Menlo Park Sanitary District 4/	3	City and County of San Francisco 4/	City and County of San Francisco L'Southeast Plant	CENTRAL COASTAL REGION®	Carmel Sanitary District 2/	City of Monterey 2/	City of Pacific Grove 2/	City of Santa Barbara 8	City of Santa Cruz	of Watsonville	LOS ANGELES REGION <sup>b</sup>	City of Los Angeles, Hy-erion 11	н.	S.	9	
	discrete properties of the continue of the con	Dote distriction of the column sign (Mo) (Mo) (Mo) (Mo) (Mo) (Mo) (Mo) (Mo)	Agency Date distributions from the first of the charges of the collision of the collisions of the coll	Dote districted         Calcium sign         Sodium sign         Foliase Corboo         Bicor Silos         Solida sign         Solida sign         Coldium sign         Foliase Corboo         Silos Silos         Solida sign         Solida sig	Dote finds         distriction         Find white finds         Find white white finds         Find white whi	Oote fine charge at the column of the charge at t	Oote fine charge at (mirror)         (mirror)	The color   The	This can be desired to the contained by the contained b	Charge   Give   Charge   Cha	October   Classical Control	Colore   C	Dota   Continua   Co	Continue   Continue	Oracle   O	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1,10,10   1,10	Charles   Char	Charles   Char	1,000,   1	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,

TARES 4-Continued
MINERAL ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

		Remorks		-,							· <u> </u>			•									
									,									d					
	Hordness	Total N.C.		376	512	386	324 0	201	268	204	720	07/7	612		582	593		265 0	78 0	200 56		1,075 0	324 36
-	Per	gent dium		۲ ۲	7	92	72	69	22	78	89	23	3		4.5	99		45	7.4	63		23	78
		solids ppm		2,320	2,740	2,221	2,587	1,620	1,500	1,498	2,400	2,310	1,600	1,380	1,540	2,130		852	202	759		5,615	1,979
ŀ							56	•••										53	52	ti Ti			30
		Baron Silica (B) (SiO <sub>2</sub> )		5.3	5.6	ű	50.5	<u></u>	1.2	0.7	2.5	2.3	6.0	1.3	0.7	7-1		79.0	9 -1	1.8		1.02	302
		Fluo- ride (F)		1.5	0.11	2.0	1.3	0.11	1.8	1.0	3.5	4.0	1.0	1.2	0.2	1.2		1.4	0.2	0.9			3.2
	Lion	rate (NO <sub>3</sub> )					141											0000	0.00	000		00.00	1.39
	B per m	Chloride (Cf.)		906	36.94	23.3	1007	304	168	176	292	958	226	194	198	396		14.8	32	212		282C	730 22.00
	equivalents per million	Sulfote (SO4)		163 3.40	3.73	197	23.5	8,79	7.96	340	280	5.31 2	10.94 6	10.94 5	10.00	15.53		192	31 .00	1.96		212	203
	iba g	Bicar- bonate S (HCO <sub>3</sub> ) (		Im	lev	14	105		c.		. lu	- In	IA	TA.	7 2	· IR	· · ·	378	1.70	176 2.88 1		13.4	351 2
		Carban- Posts (CO3) (1					0000											000	08.	000		000	00.0
	Mineral constituents	Potos- sium (K)		3.50	35	0.37	33	69.0	0.33	28 0.72	25	22 0.56	0.38	0.31	14,0.36	11 0.28		15	2.2	5.8 C.15		2.38	26
	Miner	Sodium (No)		600	37.4	25.6	64.8 28.20	378	396	152	23.9	600	200	252	228 9.91	23.0		154	33	164		3,66	25.23
		Magne- sium (Mg)		51. 1.	76	3.64	5.29	2.5	2.16	1.3	3.0	3.72	52	3.68	3.1	77:7		3.45	0.37	6.9		13.5	2,38
		Coleium (Co)		3.4 4	86	3.52	3.29 5	2.4 2	3.2	2.77	118 5.90 3	5.10	7.35	7.75	8.50	7.07.6		37 1	1.20	3.44		5.99	4.09
		I a		7.2	7.0	7.2	7.4	7.1	7.3	7.2	7-3	7.0	7.4	7.1	7.2	7.3		7.2	7-9	7.7		7.7	7.2
	Specific conduc-	(miero- mhos of 25°C)					7,100											1,530	346	1,170		600,6	3,300
		9 H								·····			************										
			:	8.4	0.9	5.9	6.3	F. 3	1.9	1.9	152	168	3.7	3.4	3.3	1.2		8.0	5.0	15.0		2.56	13.6
		Date.		11/24/53	11/3/54	5/18/55	6/24-30/ 1955	12/1/53	17/4 /54	6/2/55	11/24/53	11.3/54	12 '1/53	11/4/54	6/2/55	17/17/27		3 /26 /54	3,726 '54	3/26/54		42/71,4	4/13-25/ 1954
		C kararang Agendy	LOS ANGELES REGION (Cont'd).	City of Los Angeles Terminal Island Plant				Gity of Ventura			Los Angeles County Sanitution Districts		City of Oxnard			Port Hueneme, United States Construction Battalion Center	CENTRAL VALLEY REGION®	Gity of Antioch	Fibreboard Froducts, Antioch Division	Fibreboard Products, San Joacuin Division	SANTA ANA REGIOND	City of Newport Beach	Orange County Joint Outfall Sewer

a - Analyses by Division of Water Resources. b - Analyses by State Department of Public Health.

TABLE 4-Continued
MINERAL ANALYSIS
SEWAGE AND INDUSTRIAL WASTES

	dis- Temp.	Specific conduc- tonce		2		Mineral constituents	onstituent Corpos	ie in	equivol-	equivolents per million	ion	1011	-	dis-	Per	Hordness os CoCO <sub>3</sub>	\$ 00 20 30	200
	da		E .	Colcium s (Co)	sium Sod	Sodium sium (No) (K)	corbon- ote (CO <sub>3</sub> )	bonote (HCO <sub>3</sub> )	Sulfore (SO4)	Chloride (CI)	trote (NO <sub>5</sub> )	ride B	Boron Silico (B) (SiO <sub>2</sub> )			Totol	N.C.	Xe=307Rs
3 '20-26/ 1	13.0	1,579	7.3	3.29	21 226	17.6	9 5	386	278 5.80	192	000		0.58 25	1,010	99	251	0 -2-	7-day composite.
3/21-27/	7.68	5,74.7	7.2	101	5.43 51.5	32.0		887	263	1800	000		3.33 30	3,745	81	528	123 7-	7-day composite.
4/11/55	3.76	1,980	7.2	3.74	32 200 2.63 8.70	70 0.49	00.00	7.3	2.03	376	000	0	0.34	566	56.	318	0	Grab sample.
2/19-25/	1.17	2,066	7.6	3.24	2.79 10.87	0 87 0.15 67	0.00	7.96	3.10	30%	0.0		0.72	1,034	23	302	0 2-	7-day commosite.
4/5-10/	1.36	2,000	7.0	17 77 77 77 77 77 77 77 77 77 77 77 77 7	3.29 2 6	11:0 11:0 11:0	0 0	7.12	5.07	346	0.0		1.04	1,200	58	356	ð.	6-day composite.
4,74-15/	39.2	3,125	7.7	4.39	50 427	30 0.87	0.00	8.76	3.44	19.5	0.0		0.83	1,642	99	425	0	
4/15-16/	39.2	3,040	7.5	3.79	55 420 4.52 18.30	30 0.87	0.00	8.52	3.36	665 18.70	0.00	0	0.72	1,613	99	719	0	
4/16-17/	39.2	2,090	7.6	3.69	55 410 4.52 17.80	80 0.84	000	8.60	3.00	640	0.00		0.70	1,549	99	017	0	
4/17-19/	39.2	2,762	7.5	3.49	52 380	50 0.12	0.00	7.28	3.93	570 16.10	0.0	-0	0.62	1,466	99	388	277	
4/18-19/	39.2	2,688	7.6	3.44	52 390	00 0.3	0 0	7.44	195	17.60	0.0	0	C.58	1,569	59	710	38	
1954	39.2	2,801	7.4	3.49	26 410 4.60 17.90	0 33 0.84	000	7.57	707	17.10	0.0		92.0	1,590	99	707	80	
4/21-22/	39.2	2,865	7.5	3.69	77 44	440 35 9.10 0.90	. 10	9.20	3.03	19.00	000	0	0.00	1,632	29	419	0	
4/2-8/55	38.5	2,950	7.1	5.94	35 45 2.88 19.	9.58 0.54	0.00	3777	7.23	17.91	0.0	Н	1.06	1,785	88	441	159 7-	7-day commosite.
7777/77	0.77	1,645	7.2	2,00	27 2.22 2.2	2.50 20 C.88 0.52	000	3.28	311	185	1.01	0	0.54	1,015	2	211	27	
4/5-10/55	0.81	1,670	7.3	2,00	23 24 1.89 10.	24.0 24.3	000	3.60	333	190	0.36		0.42	1,025	89	194	77.	6-day composite,
4/15/54	1.23	2,137	7.4	5.34	3.45 10.00	C 22 00 0.56	c   0	9.03	3.23	9.37	0.00	. 0	0,00	1,153	. 52	077	0	•
4/4-10/55	1,48	2,326	7.2	1116	3.37 10.79	39 0.44	000	96.99	5.97	360	000	0	99.0	1,315	23	458	7- 011	7-day commosite.
													<u></u>					

# SANITARY ANALYSES SEWAGE AND INDUSTRIAL WASTES

							1			
DISCHARGING AGENCY	DATE SAMPLED	CANOURS SANOH	MEAN DISCHARGE mgd	SUSPENDED SOLIDS PPM	BIOCHEMICAL OXYGEN DEMAND 5-DAY, 20-C	ETHER SOLUBLE MATERIAL PPM	COLIFORM MPN/100mi	OTHER CONSTITUENTS PPM	REMARKS	
SAN FRANCISCO BLY REGION		2								
City of Mill Valley	4/22/54	∞		113	159			Total Solids,		
County Sanitation Districts	9/25/52	15		20	.25	5.5		Total Solids,		_
No l and 2 San Pafael Sanitation District	75/08/7	100	2.2	96	105	18		Total Solids,		
Sausalito-Varin City Sanitary District	4/28/54	හ	9.0	92	92	3.4		Total Solids,		
Valledo Sanitation and Flood Control	1,722,161	ά	, ,	108	307	30		905 [ 2	Raw Sowage	
	15/52/7	00	1.5	200	263	56		+	Raw Seware	
City of Benicia	4/26/54	~	1.3	261	357	83			Raw Sewake	
Cities of Fairfield and Suisun	1759/27	∞	0.8	107	210	63			Raw Seware	
City of Concord	9/25/52	15		75	130	12				, ,
	3/25/54	∞	1.4	07	24	25		Total Solids,		
City of Martinez	172/54	∞	6.0	151	299	71		Total Solids,	Raw Sewage	
City of Fittsburg	7561, 8	777	1.0	80	123	52			D	
City of Richmond	2 /27 /21	0	6 [	7.6	00.5	777			Pau Sounge	, , ,
reet	3 31/54	∞		150	209	51			Paw Seware	-
Central Contra Costa Sanitary District	9/25/52	15		80	23			-	25000	
	3/54/54	12	2.7	18	27	95		Total Solids,		
Columbia-Geneva Steel, Pittsburg	15/21/8	27.	10.5	1.2	28			1		
	3/17/54	77.7		62	10.5	7.7.		1 1 1 1 1 1 1		
coration, Pittsburg	3/16/27	∞	1.8	206	169	43.8		1		
Fioneer Rubber Mills, Fittsburg	75/81, 8	100	1.7	32	3	1.6		1 1 1		
General Chemical Corporation, Nichols	3/28/54	777	4.3	80	No reaction	2.2				
Shell Chemical Company, Pittsburg	3/25/24	00	1.6	77	777			1 1 1		
C and H Sugar Refinery Crockett	2/6/54	57	1.5	58	717					
City of Sin Leandro	9/20/52	15		100	. 390	26		Total Solids,		
	5/11-12/	277	3.9	100	179	22		Total Solids, 836		

TABLE 5-Continued

## SANITARY ANALYSES SEWAGE AND INDUSTRIAL WASTES

	REMARKS										36	ge	Şe	36	96												
											Нам Земаде	Raw Sewage	Kaw Sewage	Raw Seware	Raw Sewage												
	OTHER CONSTITUENTS PPM		Total Solids,	043.4	Total Solids,		Total Solids,	Total Solids, 2,532	Total Solids, 950	Total Solids,	Total Solids,	Total Solids,	Total Solids, 2,450	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	Total Solids,	To+01 2014de
	COLIFORM MPN/100mi																										
	ETHER SOLUBLE MATERIAL PPM		07	2.3	27	32	25	6	17	25	39	42	54	65	33.	. 21	32	07	62		19 .	28	39	15	13	6	10
	BIOCHEMICAL OXYGEN DEMAND 5.0AY, 20°C		244	7.7	160	96	116	112	06	129	700	520	1144	0111	1090	251.	254	200	216	197	190	390	199	180	071	111	101
	SUSPENDED SOLIDS PPM		130	4.3	95	120	92	09	80	66	360	325	317	316	325	191 .	178	95	117	113	120	011	100	145	135	235	5
	MEAN DISCHARGE mgd		09	2.4		- 5.9	1.1	0.85		9.4			24.7	24.6		1.0	1.55		1.4	1.4	6.5		2.9			3.0	
0	COMPOSITE HOURS		277	60	15	00	777	80		777	77	77	77	777	16	15	₩	15	₩	16	α	15	77	15	15	77	75
-	DATE		5/11/12/	5/3/54	9/24/52	5/4/54	(51/21/13/	777/77	9/24/52	4/12/13/	9 (22/23)	9/23/24	1954	4/7/8/54	9/24/52	75,8/7	4/14/54	9/24/52	4/19/54	4/19/54	4 20/54	9/24/52	4/13/14/	9/24/52	9,57/25	4/21/22/	1/2/51/
	> 120× 50 86×55.1	San Francisco Bay Region (Continued)	st hay Municipal Utility District.	Special District No. 1 agward Samitary District	ro Loma Sanitary District		rion Sanitarr District	ty of Mountain Wiew	ity of Falo Alto		ty of San Jose				ty of Sungvale			ty of Eurlingame			dty of Fillbrae	ity of Fedwood City		ity of San Vateo	Hies of South Sar Francisco and		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TARKE 5-Continued

## SANITARY ANALYSES SEWAGE AND INDUSTRIAL WASTES

DISCHAPSING AGENTY	DATE SAMPLED	O311SOAWOO S&NOH	меан різснаяве т q d	SUSPENDED SOLIDS PPM	BIOCHEMICAL OXYGEN DEMAND 5-DAY, DPM	ETHER SOLUBLE MATERIAL PPM	COLIFORM MPN/100 mi	OTHER CONSTITUENTS PPM	REMARKS	
San Francisco Bay Region (Continued)										
San Carlos-Relmont Sanitary District	9/24/52	15		95	230	26		Total Solids,		
	17/20/27	¢0	1.7	112	10%	97		Total Solids,		
Gity and County of San Francisco North Foint Plunt Southeast Flant	4/20/54	777	36.0	113	252			Total Solids, 990 Total Solids, 250		
CENTRAL COASTAL REGION								02062		
City of Salinas,	9/18/52	16		10.5	17	2.6				
City of Janta Cruz	9/18/52	16		160	550	12				
City of Satsonville.	9/18/52	16		. 225	255	12				
LOS ANGELES REGICK										
City of los Angeles Pregion Plant	11/24/53	1	232.8	38	55	7	7,000,000			
	11/3/54		237.1	75.75	09		24,000,000			
Terrinal Island Plant	11/24,53	72.5	6.0	92	205	11	70,000,000			
	5/12/55		0.0	175	170	to	70,000,000		Bange for 7-day regiod	
City of Vertura	12/1/53	16	x 0	170	715 725		240,000,000			
	6/2/55	16	1.9	125	315	11	7,000,000			
los Angeles County Samitation Districts	11/24/53	77.77	151.6	170	225.	. 8	240,000,000 62,000,000			
	5/18/55		157.4	277	235	50	200,000,007			
CENTRAL VALLEY REGION										
City of Antioch Sewage Treatment	3/26/54	60	6.0	114	142	92.1				
Fibrand Ercducts, Articch	3/56/54	∞	5.0	294	133					
Fibreboard Freducts, San Josephin Division	3,50/24	₩	15.0	770						
SANTA ALS REGION*										
O the state of the										
Orange County Control of the County C	July,			13.8	251	67			Grab Sample	
	August,			116	235	177			Grab Simple	
	******	240410	On District	U						

\* Analyses by Orange County Sanitation Districts.

TREES 5-Continued


## SANITARY ANALYSES SEWAGE AND INDUSTRIAL WASTES

Santa drz Region (Continued) Crange County Sanitation Districts Flant No. 1	DATE	_	-		DIOCUSTANCOO!				
	SAMPLED	ISOUNOS BUONES	MEAN DISCHARGE mgd	socios socios ppm	SOAY, 20°C	ETHER SOLUBLE MATERIAL PPM	COLIFORM MPN/100mi	CONSTITUENTS  PPM	REMARKS
	Sertember			116	218	77			Grab Samrle
	October,			105	215	35			Grab Sample
N.	November,			103	198	33			Grab Sample
	December			011	203	41		dere framer filmer with der dagen der der der die die das der mennen sammeller er er er flesselte	Grab Jample
W	August,			81	234	37			Grab Sample
36	Sertember			105	202	29			Grab Sample
0	October			75	178	777			Grab Sample
2	ovember			89	148	28			Grab Jample
Q	December			76	136	775			Grab Sample
	#CE.								
		-							
						•			
						•		and we were more with the man first of the second in which the first man and the fir	
				*	Ţ				

DEPARTMENT OF WATER RESOURCES 1957







## THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE RECALL

RET. FEB ( + 1965) MAR 17 1967 RET. MAR 1 4 1907

> 301 6 1998 SEP 30

AUE YELL

DUE SEP 29 1971

SEP 28 REC'D

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-20m-8,'61 (C1623s4)458

Call Number:

TC824 C2 A2

Water resources.

240498

California. Dept. of

PHYSICAL SCIENCES LIBRARY TC824 C2 A2 no.68

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS
240498



